

QUOTATION

Sub: Providing power points & internet points alongwith wiring and associated work for 3 faculty rooms at 2nd Floor of National Aerosol Facility.

S.N.	Description	Qty.	Unit	Rate (In Words & Figures)	Amount
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/PVC conduit as reqd.				
a	3 X 1.5 Sq.mm	10.00	Mtr		
b	3 X 2.5 Sq.mm	100.00	Mtr		
2	Supplying, installation DLP mini- trunking 32mm x 20mm and accessories white-system with independent cover- without central partion etc. as reqd.	35.00	Mtr.		
3	Supply and fixing of following items for plastic trunking accessories suitable for size 32 mm x 20 mm				
a	End cap	2.00	Nos.		
b	Internal angle/ External angle	2.00	Nos.		
c	Changeable flat angle	2.00	Nos.		
4	Providing and fixing DLP plastic trunking of size 105 mm x 50 mm without cover on surface as reqd.	35.00	Mtr.		
5	Providing and fixing 85 mm width flexible cover of DLP plastic trunking. (size 105 mm x 50 mm.)	35.00	Mtr.		
6	Supply and fixing of following items for plastic trunking accessories suitable for size 105 mm x 50 mm.				
a	End cap	6.00	Nos.		
b	Internal angle.	5.00	Nos.		
c	External angle	2.00	Nos.		
d	Flat Junction	2.00	Nos.		

S.N.	Description	Qty.	Unit	Rate (In Words & Figures)	Amount
e	Changeable flat angle	2.00	Nos.		
f	Separation partitions	35.00	Mtr.		
g	cover joint	5.00	Nos.		
h	Base joint	10.00	Nos.		
7	S & F of following size of steel flexible pipe alongwith the accessories on surface etc as required.				
a	20 mm	2.00	Mtr.		
b	25 mm	2.00	Mtr.		
8	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
a	12 Way, double door	1.00	Nos.		
9	Supplying and fixing following rating, 240 volts, 'C' series, minature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc as reqd.				
a	Single Pole (5 Amp to 32 Amp)	12.00	Nos.		
b	Double Pole (40 Amp to 63 Amp)	1.00	Nos.		
10	Supplying and fixing following modular switch/socket on the existing modular plate & switch box/ DLP plastic trunking including connections but excluding modular plate etc as reqd.				
a	5/6 amps switch	15.00	Nos.		
b	15/16 amps switch	15.00	Nos.		

