

**INDIAN INSTITUTE OF TECHNOLOGY KANPUR****Tender Notice No. 26/IWD/ED/78****SCHEDULE OF QUANTITY**

Name of work: Renovation of electrical installation in SL-102.

Name of the Contractor					
S. No	Description of Items	Qty	Unit	Rate in Figures in Rupees	Amount
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
a	Group 'C'	8.00	Nos.		
2	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/PVC conduit as reqd.				
a	3 X 1.5 Sq.mm	50.00	Mtr		
b	3 x 4 Sq.mm	30.00	Mtr		
c	3 X 10 Sq.mm	35.00	Mtr		
3	Supplying and fixing following way prewired vertical type TP&N MCB distribution board of steel sheet for 415 volts on surface/ recess complete with loose wire box of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCB's, terminal connectors for all incoming and outgoing circuits, duly prewired with adequate size of FR PVC insulated copper conductor upto the terminal connector/ neutral link, earthing etc as required (But without MCB/ RCCB/ Isolator). (Note : Prewired vertical type MCB TPDB is normally used where 3 phase outlets are required.)				
a	12 way (4 + 36) Double door	1.00	Nos.		
4	Supplying and fixing following rating, 240 volts, 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc as reqd.				
a	Single Pole ( 5 Amp to 32 Amp )	16.00	Nos.		

S. No	Description of Items	Qty	Unit	Rate in Figures in Rupees	Amount
b	Double Pole ( 5 Amp to 32 Amp )	1.00	Nos.		
c	Tripple Pole ( 5 Amp to 32 Amp )	3.00	Nos.		
d	Four Pole ( 5 Amp to 32 Amp )	3.00	Nos.		
e	Single Pole ( 40 Amp to 63 Amp )	2.00	Nos.		
f	Double Pole ( 40 Amp to 63 Amp )	1.00	Nos.		
g	Tripple pole ( 40 Amp to 63 Amp )	3.00	Nos.		
h	Four Pole ( 40 Amp to 63 Amp )	3.00	Nos.		
5	Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth metal enclosed plug top along with 20 amps ' C ' series SP, MCB, in the sheet steel enclosure, on surface or in recess, with chained metal cover for the soc	2.00	Nos.		
6	Earthing with GI earth electrode 50mm dia x 3 mtr length including earth enhancing compound (Jam Fill quality product) and PIT cover for earthing pit etc as reqd. (193GI JMV)	2.00	Set		
7	Providing & fixing 25mm x 5mm GI strip on surface or in recessd for connection etc. as reqd.	30.00	Mtr		
8	Supplying, installation DLP mini- trunking 32mm x 20mm and accessories white-system with independent cover-without central partion etc. as reqd.	30.00	Mtr.		
9	Supply and fixing of following items for plastic trunking accessories suitable for size 32 mm x 20 mm				
a	End cap	6.00	Nos.		
b	Internal angle/ External angle	20.00	Nos.		
c	Changeable flat angle	2.00	Nos.		
d	Flat Junction	2.00	Nos.		
10	Providing and fixing DLP plastic trunking of size 105 mm x 50 mm without cover on surface as reqd.	30.00	Mtr.		
11	Providing and fixing 85 mm width flexible cover of DLP plastic trunking. (size 105 mm x 50 mm.)	30.00	Mtr.		

S. No	Description of Items	Qty	Unit	Rate in Figures in Rupees	Amount
12	Supply and fixing of following items for plastic trunking accessories suitable for size 105 mm x 50 mm.				
a	End cap	2.00	Nos.		
b	Internal angle.	2.00	Nos.		
c	External angle	1.00	Nos.		
d	Flat Junction	2.00	Nos.		
e	Changeable flat angle	1.00	Nos.		
f	Separation partitions	5.00	Mtr.		
g	cover joint	16.00	Nos.		
h	Base joint	10.00	Nos.		
13	Supplying and fixing following modular switch/socket on the existing modular plate & switch box/ DLP plastic trunking including connections but excluding modular plate etc as reqd.				
a	5/6 amps switch	30.00	Nos.		
b	15/16 amps switch	30.00	Nos.		
c	3 pin 5/6 amps socket outlet	30.00	Nos.		
d	6 pin 15/16 amps socket outlet	30.00	Nos.		
e	Blanking Plate	1.00	Nos.		
14	Supplying and fixing following Modular GI/plastic base & cover plate on existing modular metal boxes/DLP plastic trunking etc. as required.				
a	3 Module	20.00	Nos.		
b	6 Module	20.00	Nos.		
15	Supplying and fixing following Module Plastic box for fixing modular switches/sockets in surface/recess etc as required.				
a	3 Module	3.00	Nos.		

S. No	Description of Items	Qty	Unit	Rate in Figures in Rupees	Amount
b	6 Module	1.00	Nos.		
16	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	2.00	Nos.		
17	S/F, connecting, testing and commissioning 34/35/36 watt LED recess mounted luminaires with diffuser suitable for 600 mm X 600 mm modular POP/Gypsem ceiling etc.as reqd.	9.00	Nos.		
18	S/F, connecting, testing and commissioning 1 x 20 watt LED tube fitting surface mounting/ceiling suspended luminaires suitable mounting rail for T-LED lamps with 1 No. 20 watt T-LED lamps and connection etc.as reqd	2.00	Nos.		
19	Supply, Installation, testing & commissioning of Ceiling fan of following 220 volts 50 Hz without regulator I/c wiring the down rods of standard length up to 30 cm with 1.5 sqmm PVC insulated copper conductor single core cable etc as reqd.				
a	1200 mm sweep	2.00	Nos		
20	Supply and Fixing, of 400 mm sweep AC 230/250 volts, 50 HZ wall mounting revolving fan with brackets etc. required complete	2.00	Nos.		
21	Fixing, Internet Box of size 75mm x 75mm x 40 mm including brass screw on surface / recessed as reqd.	12.00	Nos.		
22	Drawing of computer network cable/ PVC insulated flexible cooper/ Aluminium single core cable of size 1.5sqmm to 25 sqmm/ telephone cable upto 10 pair in existing pipe / casing and capping as reqd including numbering the wires at both the ends.	300.00	Mtr.		
23	S & F metal enclosure suitable for DP/FP MCB/ on surface or recessed etc as reqd.	6.00	Nos.		
24	S & F of following size of steel flexible pipe alongwith the accessories on surface etc as required.				
a	20 mm	15.00	Mtr.		
b	25 mm	10.00	Mtr.		
25	Supply, Fixing, copper lug suitable for following size of conductor/ cable.				
a	10 Sqmm	2.00	Nos.		

<b>S. No</b>	<b>Description of Items</b>	<b>Qty</b>	<b>Unit</b>	<b>Rate in Figures in Rupees</b>	<b>Amount</b>
26	Dismantling the old conduit pipe/wood batten of all sizes from surface/recessed & making good the damages I/c filling the holes of the surface etc as reqd.	60.00	Mtr.		
27	Dismantling damaged DB/TPN Switches/ loose wire boxes/ M.S. boxes alongwith all accessories and depositing the same in the store as reqd.	2.00	Nos.		
28	Dismantling & refixing DB/TPN Switches upto 100A/ loose wire boxes/ M.S. boxes alongwith all accessories etc as reqd.	24.00	Nos.		
29	Dismantling of ceiling fan / rally fan / all type fitting without regulator I/c depositing in store etc as reqd.	6.00	Nos.		
30	Fixing of 20/25/32 mm dia steel conduit pipe/DLP plastic trunking alongwith the accessories in surface/recessed I/c painting in case of surface conduit or cutting the wall & making good the same in case of recessed conduit as reqd.	30.00	Mtr.		
	<b>Total Rs.</b>				