

INDIAN INSTITUTE OF TECHNOLOGY KANPUR
INSTITUTE WORKS DEPARTMENT
ELECTRICAL & AIR-CONDITIONING DIVISION

No. 29/AC/EE/2021/202

Dated 17-11-2021

QUOTATION NOTICE

M/s

Sealed quotations are invited from the empanelled contractor by the undersigned on behalf of the Director, IIT Kanpur for **"Providing and fixing Power point for RO Plant & solar systems installed on terrace of block A,B & C at Hall-10.."** As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 24-11-2021 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
2. The time allowed for carrying out the above noted work is 14(Fourteen) Days.
3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
4. Security @ 7.5% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months. (NA)
5. The estimated cost of quotation is **Rs.30215/-**. The required earnest money of **Rs. NIL/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
6. The quotations shall remain valid for 90 days from the date of opening.
7. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
10. The material should be used as per approved list of make.

QUOTATION


Sub: Providing and fixing Power point for RO Plant & solar systems installed on terrace of block A,B & C at Hall-10.

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying & drawing following sizes of FRLS PVC insulated copper conductor single core cable in / on the existing surface / recessed, PVC / steel conduit as reqd.				
a)	2 x 1.5 Sq.mm..	10	Mtr.		
b)	3 x 6 Sq.mm..	50	Mtr.		
2	S& F following size/module, GI box along with modular base and cover plate for modular switches in recess as required.				
a)	6 module	3	Nos.		
3	Supplyand & fixing following modular switch/ socket on the existing modular plates & switch box including connection but excluding modular plate etc. as reqd.				
a)	5/6 Amp one way switch	3	Nos.		
b)	3 Pin 5/6 Amp. socket outlet	3	Nos.		
c)	15/16 Amp. one way switch	3	Nos.		
d)	6 Pin 15/16 Amp. socket outlet.	3	Nos.		
e)	Modular type blanking plate.	2	Nos.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
4	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
a)	8 way , Double door	R/o	Each		
5	S & F MCB of following pole and rating 240/415 volts 'C' series in the existing MCB DB complete with connection, testing & commissioning etc as reqd. (legrand)				
a)	Single Pole 6 amp to 32 amp	18	Nos.		
b)	Single Pole & Neutral 6 amp to 32 amp	1	No.		
6	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 300 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a)	40 amp double pole RCCB	2	Nos.		
7	Providing & fixing of size 32 mm x 12.5 mm. DLP mini trunking system with independent cover as reqd.	45	Mtrs		
8	Providing & fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 12.5 mm.)				
a)	Flat junction	5	Nos.		
b)	Changeable flat angle	20	Nos.		
c)	Changeable internal /External angle	40	Nos.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
d)	End cap left or right	10	Nos.		

Total- Rs. _____


अध्यापिका अनियता (वा0) E.E. (A.C.)
संनिधि, माओ संस्थान, कानपुर
I W.D., I.I.T Kanpur