

QUOTATION

Name of work -: Electrical maintenance work at south side residence as per enclosed complaints

S.No.	Description	Qty	Unit	Rate (In words & figures)	Amount
1	S & F following piano type switch / socket on existing switch box/cover I/c connection etc as reqd.				
a	5/6 Amp switch	19.00	Nos.		
b	15/16 Amp. switch	5.00	Nos.		
c	3 Pin 5/6 Amp. socket outlet	8.00	Nos.		
d	6 Pin 15/16 Amp. socket outlet.	5.00	Nos.		
2	Supply, fixing, following modular type switch / socket on existing modular plate & switch box including connectins but excluding modular plate etc. as reqd.				
a	5/6 Amp switch	18.00	Nos.		
b	15/16 Amp. switch	5.00	Nos.		
c	3 Pin 5/6 Amp. socket outlet	6.00	Nos.		
d	6 Pin 15/16 Amp. socket outlet.	3.00	Nos.		
e	Fan regulator socket type rotary step	2.00	Nos.		
3	Supply & fixing modular blanking plate on existng metal boxes but excluding modular plate as req.	5.00	Nos.		
4	S/F following modular base & cover plate on existing modular metal boxes etc. as read.				
a	1 or 2 module	1.00	Nos.		
b	3 module	2.00	Nos.		

S.No.	Description	Qty	Unit	Rate (In words & figures)	Amout
c	4 module	2.00	Nos.		
d	6 module	2.00	Nos.		
e	8 module	2.00	Nos.		
f	12 module	1.00	Nos.		
5	Supplying and fixing 3 pin, 5 amp. Ceiling rose on the existing junction box/ wooden block including connection etc. as reqd.	7.00	Nos.		
6	Supplying and fixing brass batten/ angle holder including connection etc. as required.	11.00	Nos.		
7	Supplying and fixing call bell/ buzzer suitable for single phase, 230 V, complete as required.	1.00	Nos.		
8	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator).				
a)	12 way , Double door	1.00	Nos.		
9	Supplying and fixing 5 amps to 32 amps rating, 240 volts, 'C' series, MCB suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as reqd.				
a)	Single Pole	10.00	Nos.		
10	S & F following rating double pole (single phase & neutral) 240 volts RCCB (ELCB), having sensivity current up to 30 mA in the existing MCB DB complete with connection, testing & commissioning etc as reqd.				

S.No.	Description	Qty	Unit	Rate (In words & figures)	Amount
a)	40 Amp	1.00	Nos.		
11	Providing and fixing following sizes of PVC casing and capping on surface as reqd.				
a	20 x 12 mm	5.56	Mtr.		
b	25 x 16 mm	8.22	Mtr.		
12	S & F following piano type switch /socket on existing switch box/cover I/c connection etc as reqd.				
a	Fan regulator socket type rotary step	3.00	Nos.		
13	Supplying, fixing, connecting, commissioning and testing of the following luminaries light fixtures complete with all accessories and without lamp as required complete.				
a	Bulk head fitting suitable for 60W GLS lamp, Philips make or equivalent.	2.00	Nos		
14	Locating fault in wiring rectifying removing & restoring supply the same & making good the damages etc as reqd.	3.00	Nos.		
15	S & F 3 mm thick phenolic laminated sheet on existing board with brass screw & cup washer etc as reqd.	500.00	Sq.cm		
16	Dismantling and refixing of wood board of any size on surface or in recessed etc as reqd.	3.00	Nos.		
17	Dismantling and refixing of switch / socket /regulator I/c cleaning, connecting, commissioning etc as reqd.	16.00	Nos.		
Total Rs					

अधिकाारी अधिकाारी (मिड) / अ. ए. (मिड)
सुपरिन्टेन्डिन्ट, अ. ए. मी. इन्फ्रास्ट्रक्चर, कानपुर
E.W.D. / I. L. F. / K. S. S. S.

Devi