

INDIAN INSTITUTE OF TECHNOLOGY KANPUR
INSTITUTE WORKS DEPARTMENT
ELECTRICAL & AIR-CONDITIONING DIVISION

No. 03 /AC/EE/2019/43

Dated 24-04-2019

QUOTATION NOTICE

M/s

Dear Sirs,

Sealed quotations are invited from the empanelled contractors/specialized agency by the undersigned on behalf of the Director, IIT Kanpur for **"Spray pond cleaning and servicing, painting of condenser water pipe & nozzle i/c replacement of defective brass nozzle and SS valves and S & F of AHU pre-filters located at CESE Building."** As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 09-05-19 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:


1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
2. The time allowed for carrying out the above noted work is 28(Twenty Eight) Days.
3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
4. Security @ 10% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
5. The estimated cost of quotation is **Rs.1,16,561/-**. The required earnest money of **Rs. 2331/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
6. The quotations shall remain valid for 90 days from the date of opening.
7. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
10. The material should be used as per approved list of make.

QUOTATION

Sub: Spray pond cleaning and servicing, painting of condenser water pipe & nozzle i/c replacement of defective brass nozzle and ss valves and S & F of AHU pre-filters located at CESE Building.

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying & fixing of brass nozzle 25 mm moving type with reducer complete as required.	5.00	Nos		
2	Supply and fixing of ss ball valve of 25 mm with socket and nipple of approved make or equivalent complete as required.	5.00	Nos		
3	Complete overhauling and descaling of following size valves including dismantling, refixing of valve with material as required and fixed in the position.				
a)	100 mm to 200 mm dia	10.00	Nos.		
4	Dismantling and overhauling of any type of strainers of sizes mentioned below including cleaning, refixing and replacement of defective strainer, insulation, gasket, nut, bolts, painting, welding work as required.				
a)	125 mm	3.00	Nos		
5	Drainout water from spray pond, removing mud from sump, scrapping of dried silt by , brushing & cleaning floor/walls, repair of cracks and refilling water complete as reqd.	2.00	Job		
6	Servicing and cleaning of water spray nozzles i/c opening & re-filling i/c replacement of gasket etc. complete as reqd.	70.00	Nos		
7	Painting Steel work with Deluxe Multi Surface Paint to give an even shade. Two or more coat applied @ 0.90 ltr/10 sqm over an under coat of primer applied @ 0.80 ltr/10 sqm of approved brand and manufacture	35.00	SQM		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
8	Painting with silicon & acrylic emulsion based water thinnable sealer of approved brand and manufacture on wet or patchy portion of plastered surfaces as reqd	10.00	SQM		
9	Supply & fixing of following size 50 mm thick Box type washable prefilter made of non woolen synthetic fiber with Al. frame having eesh one side and HDPE mesh other side efficiency 90% down to 10 Micron (standard EU-4) as per existing design/shape complete as reqd. (make:- thermadyne or equivilent).				
a)	610 x 610 x 50 mm	12.00	Nos		
b)	610 x 310 x 50 mm	1.00	Nos		
c)	610 x 305 x 50 mm	2.00	Nos		
d)	310 x 310 x 50 mm	4.00	Nos		


 अतिरिक्त अधिवक्ता (पाठ) E.E. (A.C.)
 संचालक, मरुतो संरक्षण, काजपुर
 I.W.D., I.I.T., Kanpur