

INDIAN INSTITUTE OF TECHNOLOGY KANPUR
INSTITUTE WORKS DEPARTMENT
ELECTRICAL & AIR-CONDITIONING DIVISION

No. 22/AC/EE/2019/ 221

Dated 04-09-2019

QUOTATION NOTICE

M/s

Dear Sirs,

Sealed quotations are invited from the empanelled contractors by the undersigned on behalf of the Director, IIT Kanpur for "**Replacement of defective ceiling, exhaust and wall fans in security post, office, mess and toilets of Hall-2,3,4,7 ,8,9,10 and VH (Kitchen)...**" As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 13-09-19 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
2. The time allowed for carrying out the above noted work is 21(Twenty One) Days.
3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
4. Security @ 10% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
5. The estimated cost of quotation is **Rs.51052/-**. The required earnest money of **Rs. 1021/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
6. The quotations shall remain valid for 90 days from the date of opening.
7. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
10. The material should be used as per approved list of make.


QUOTATION

Sub: Replacement of defective ceiling,exhaust and wall fans in security post,office, mess and toilets of Hall-2,3,4,7 ,8,9,10 and VH (Kitchen).

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required				
a)	1 X 1.5 Sq.mm	10.00	Mtr		
b)	3 X 1.5 Sq.mm	20.00	Mtr		
2	Supplying, installation DLP mini- trunking 32mm x 12.5mm and accessories white-system with independent cover- without central partion etc. as reqd.	10.00	Mtr.		
3	Supply and fixing of following items for plastic trunking accessories suitable for size 32 mm x 12.5 mm				
a)	Flat Junction	2.00	Nos.		
b)	Changeable flat angle	5.00	Nos.		
c)	Internal angle/ External angle	5.00	Nos.		
d)	End cap	2.00	Nos.		
4	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
a)	5/6 amps switch	5.00	Nos.		
b)	3 pin 5/6 amps socket outlet	2.00	Nos.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
c)	Blanking Plate	2.00	Nos.		
5	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
a)	1 or 2 module (75mm x 75mm)	2.00	Nos.		
b)	3 module (100mm x 75mm)	2.00	Nos.		
c)	4 module (125mm x 75mm)	1.00	No.		
6	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.				
a)	Upto 450 mm sweep Each	4.00	Nos.		
7	Supply, Installation, testing & commissioning of Ceiling fan of following 220 volts 50 Hz without regulator I/c wiring the down rods of standard length up to 30 cm with 1.5 sqmm PVC insulated copper conductor single core cable etc as reqd.				
a)	1200 mm sweep	3.00	Nos		
b)	1400 mm sweep	1.00	Nos.		
8	Supply,Installation of exhaust fan 220 volt, 50 Hz of following sizes in the existing opening I/c connection, testing, commissioning etc as reqd.				
a)	300 mm	6.00	Nos.		
b)	450 mm	1.00	No.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
9	S/F, Exhaust fan shutter of following sizes on rag bolts as reqd.				
a)	300 mm	6.00	Nos.		
b)	450 mm	1.00	Nos.		
10	S & F of 400 mm sweep AC 230/250 volts, 50 HZ wall mounting revolving fan with brackets etc. complete	4.00	Nos.		
Total					


 03/09/19
 अधिकाणी अमियता (आ०) ए.ए. (A.C.)
 संनिवि०, भा०प्रौ० संस्थान, कानपुर
 J.W.D., I.T., Kanpur