

INDIAN INSTITUTE OF TECHNOLOGY KANPUR
INSTITUTE WORKS DEPARTMENT
ELECTRICAL & AIR-CONDITIONING DIVISION

No. SJ/AC/EE/2019/ 307

Dated 01-01-2020

QUOTATION NOTICE

M/s

Dear Sirs,

Sealed quotations are invited from the empanelled contractors by the undersigned on behalf of the Director, IIT Kanpur for "**Laying UTP cable from main Hub to sub Hub ground & 1st Floor in block A and block C at Hall-11...**" As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 10-01-2020 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
2. The time allowed for carrying out the above noted work is 28(Twenty Eight) Days.
3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
4. Security @ 10% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
5. The estimated cost of quotation is **Rs.129520/-**. The required earnest money of **Rs. 2590/-** is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
6. The quotations shall remain valid for 90 days from the date of opening.
7. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
10. The material should be used as per approved list of make.


QUOTATION

Sub: Laying UTP cable from main Hub to sub-Hub ground & 1st Floor in Block A and Block C at Hall-11.

| S.N. | Description | Qty. | Unit | Rate (Rs.) Words & Fig. | Amount |
|------|---|--------|------|----------------------------|--------|
| 1 | Supplying, installation DLP mini- trunking 32mm x 12.5mm and accessories white-system with independent cover- without central partion etc. as reqd. | 25.00 | Mtr. | | |
| 2 | Supply and fixing of following items for plastic trunking accessories suitable for size 32 mm x 12.5 mm | | | | |
| a) | Flat Junction | 10.00 | Nos. | | |
| b) | Changeable flat angle | 20.00 | Nos. | | |
| c) | Internal angle/ External angle | 20.00 | Nos. | | |
| d) | End cap left or right | 10.00 | Nos. | | |
| 3 | Supplying, installation DLP mini- trunking 32mm x 20mm and accessories white-system with independent cover- without central partion etc. as reqd. | 175.00 | Mtr. | | |
| 4 | Supply and fixing of following items for plastic trunking accessories suitable for size 32 mm x 20 mm. | | | | |
| a) | Flat Junction | 25.00 | Nos. | | |
| b) | Changeable flat angle | 75.00 | Nos. | | |
| c) | Internal angle/ External angle | 150.00 | Nos. | | |
| d) | End cap left or right | 10.00 | Nos. | | |
| 5 | Providing and fixing DLP plastic trunking of size 105 mm x 50 mm without cover on surface as reqd. | 60.00 | Mtr. | | |
| 6 | Supply and fixing of following items for plastic trunking accessories suitable for size 105 mm x 50 mm. | | | | |
| a) | flexible cover 85 mm width | 60.00 | Mtr. | | |

| S.N. | Description | Qty. | Unit | Rate (Rs.) Words & Fig. | Amount |
|------|---|-------|------|----------------------------|--------|
| b) | End cap | 2.00 | Nos. | | |
| c) | Base joint | 50.00 | Nos. | | |
| d) | Joint for 85 mm width cover | 25.00 | Mtr. | | |
| e) | Clips | 10.00 | Nos. | | |
| f) | Flat Junction | 2.00 | Nos. | | |
| g) | Flat Angle | 5.00 | Nos. | | |
| h) | Internal angle adjustable from 80° -100° | 5.00 | Nos. | | |
| i) | External angle adjustable from 60° -120° | 10.00 | Nos. | | |
| 7 | Drawing of RG-6 cable /network cable/ wiring cable/telephone cable in existing surface/concealed conduits reqd. | 1500 | Mtr. | | |

Total


 अधिकायी अभियंता (साम) E.E. (A.C.)
 सोनिकि, माओरी संस्थान, काठमाडौं
 L.W.D., L.I.T. Kasper