

## QUOTATION

Sub:- **Providing power supply for 6 KVA UPS & earthing for PLC panel and instruments in National Aerosol building.**

SL No.	DESCRIPTION	QTY	UNIT	RATE (In words & Figures)	AMOUNT
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
a	3 x 4 sq. mm	10.00	Metre		
b	3 x 10 sq.mm.	40.00	Meter		
2	Supply and fixing of 32 x 20 mm DLP mini- trunking white-system with independent cover etc. as required complete.	30.00	Meter		
3	Supply and fixing of following accessories suitable for 32 mm x 20 mm size plastic trunking white system.				
a	End cap	1.00	Nos.		
b	internal / external angle	2.00	Nos.		
c	changeable flat angle	3.00	Nos.		
d	flat junction	1.00	Nos.		
4	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
a	15/16 A switch	3.00	No.		
b	6 pin 15/16 A socket outlet	3.00	No.		

SL No.	DESCRIPTION	QTY	UNIT	RATE (In words & Figures)	AMOUNT
5	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.				
a	3 Module	1.00	No.		
b	6 Module	1.00	No.		
6	Supplying and fixing following size/ modules, plastic box for modular switches in recess etc as required.				
a	3 Module	1.00	Nos.		
b	6 Module	1.00	Nos.		
7	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a	Single Pole (40A-63A)	1.00	Nos.		
b	Double Pole (40A-63A)	2.00	Nos.		
8	S & F metal enclosure suitable for DP/TPN MCB / DP ELCB on surface or recessed etc as reqd.	2.00	Nos.		
9	Supply fixing connecting & commissioning of following rating ISI marked 3 pin Plug top Anchor make as reqd complete.				
a	5 Amp	1.00	Nos.		

SL No.	DESCRIPTION	QTY	UNIT	RATE (In words & Figures)	AMOUNT
b	15 Amp	1.00	Nos.		
10	S&F, Copper tube / reducer/ lug terminals suitable for following size of conductor.				
a	6 /10/16 Sq.mm.	6.00	Nos.		
11	S & F following size of steel flexible pipe alongwith the accessories on surface etc as required				
a	25 mm	9.00	Meter		
12	Chemical Earthing with GI earth electrode 50mm dia x 3 mtr length including earth enhancing compound (Jam Fill quality product) and PIT cover for earthing pit etc as reqd.	2.00	No.		
13	Providing and fixing 25 mm X 5 mm G.I. strip on surface or in recess for connections etc. as required.	25.00	Metre		

**Total Rs.**

\_\_\_\_\_

अधिकाारी अभियन्ता (विद्युत) / E.E. (Elect.)  
संविन्वि. भा. प्री. संस्थान, काणपुर  
I.W.D., I.I.T. Kanpur

*(Signature)*