

QUOTATION

Name work : Providing additional power points / plug and shifting of points in Type-3 residence as per enclosed complaints.

S.N	Description	Qty	Unit	Rate	Amount
(In words & Figures)					
1	Rewiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable and 1.5 sq.mm FRLS PVC insulated copper conductor single core cable as earth wire in existing surface/ recessed steel/PVC conduit including dismantling as required.				
a)	Group B	2.00	Point		
2	Supplying & drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface / recessed steel / PVC conduit as reqd.				
a)	3 x 1.5 Sq.mm..	2.00	Mtr.		
b)	3 x 4 Sq.mm..	24.00	Mtr.		
3	S & F following piano type switch /socket on existing switch box/cover l/c connection etc as reqd.				
a)	5/6 Amp switch	1.00	Nos.		
b)	15/16 Amp. switch	4.00	Nos.		
c)	6 Pin 15/16 Amp. socket outlet.	4.00	Nos.		
4	Supplying and fixing brass batten/ angle holder including connection etc. as required.	4.00	Nos.		
5	Providing and fixing following sizes of PVC casing and capping on surface as reqd.				

S.N	Description	Qty	Unit	Rate (In words & Figures)	Amount
a)	25 x 16 mm	13.00	Mtr.		
6	S & F wooden board of following sizes on surface or in recessed with suitable size of phenolic laminated sheet cover in the front etc as reqd.				
a)	100 mm x 100 mm	1.00	Nos.		
b)	175 mm x 100 mm	3.00	Nos.		
c)	200 mm x 150 mm	1.00	Nos.		
7	Dismantling and refixing of switch / socket /regulator l/c cleaning, connecting, commissioning etc as reqd.	22.00	Nos.		
8	Dismantling and refixing of wooden board of any sizes on surface or in recessed etc as reqd.	3.00	Nos.		
9	Supply, Installation of exhaust fan, 900 rpm 220 volt AC, 50 Hz of following sweep in the existing opening l/c connection, testing, commissioning etc as reqd.				
a)	450 mm	1.00	Nos.		
10	Supply / fixing , testing & commissioning of 22W LED fitting smartbright Extruded Aluminium batten available in 4ft run length with multiple lumen packages and suitable for Surface, Wall & Conduit mounting (with accessories).complete with all fixing accessories and as per required complete LED make Phillips or its equivalent make etc as reqd	8.00	Nos.		

S.N	Description	Qty	Unit	Rate	Amount
				(In words & Figures)	

a) Dismantling & disconnecting of exhaust fan from 12" to 24" size with required nut bolts, fasteners, rag bolts etc.

1.00

Nos.

11 Dismantling, and refixing all type fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd. and depositing in sectional store.

3.00

Nos.

Total Rs.


अधिसापी अमियन्ता (वि०)/E.E. (Elect.)
सतनि०वि०, भा० प्र० सख्तान, कानपुर
I.W.D., U.T. Kanpur
Neel