

Name of work

Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building.

BID DOCUMENT



Office of the Superintending Engineer IWD,
Indian Institute of Technology, Kanpur

Indian Institute of Technology Kanpur

Contents

Sl. No.	Description	Page No.
	Index	2-4
	Check List	5
1.0	Notice Inviting E-tenders	7
2.0	Information and Instructions for Bidders for E-Tendering	9
2.1	Schedule	9
2.2	Instructions for Online BID Submission	16
2.2.1	Registration	16
2.2.2	Searching for tender documents	17
2.2.3	Preparation of bids	17
2.2.4	Submission of bids	18
2.2.5	Assistance to bidders	19
2.2.6	General instruction to bidders	20
2.3	List of documents to be scanned and uploaded within the period of bid submission	21
2.3.1	Envelope - 1: Technical Bid	21
2.3.2	Envelope - 2: Financial Bid	22
3.0	Eligibility Criteria	22
3.1	Eligibility criteria for contractors	22
4.0	Bid Evaluation and Award	23
4.1	Technical Bid Evaluation	23
4.2	Financial Bid Evaluation	23
5.0	Various Forms and Formats	25
5.1	Undertaking regarding obtaining GST registration	25
5.2	Affidavit for not being blacklisted/debarred/restrained	26
5.3	Performance report on work executed	27

5.4	Structure and Organization of the Agency	28
5.5	Declaration on Details of the Bidders	29
5.6	Details of Similar Nature of Works Completed	31
5.7	Declaration About Site Inspection	33
5.8	Letter of Transmittal	34
5.9	CPWD-7	35
5.10	Tender Certificate	37
5.11	Tender Acceptance Letter	38
5.12	Financial information	39
5.13	Banker's Certificate from a scheduled Bank	40
5.14	Net Worth Certificate by certified Chartered Accountant	41
6.0	Proforma of Schedules	42
7.0	Terms & Conditions of Contract	49
7.1	Timely Completion	49
7.2	Rates	49
7.3	Quality and Workmanship	51
7.4	Natural calamity	53
7.5	Stocking and Disposal of Materials & Debris	53
7.6	Painting	54
7.7	Safety and Security	55
7.8	Approach to Site	55
7.9	Water and Flooding	56
7.10	Acts and laws	56
7.11	Labour and Laws	57
7.12	Nondisclosure Agreement	57
7.13	Indemnification	57
7.14	Force Majeure	58
7.15	Dispute resolution	58

7.16	Arbitration	59
7.17	Jurisdiction of Courts	59
8.0	Scope of work	60
9.0	Special conditions of contract	61
	List of preferred makes	63
10.0	Testing charges	68
	Annexure A for BOQ	69
	Annexure B for Integrity Pact should be signed and scanned copy of the same shall be uploaded along with technical bid.	88

It is certified that this document contains page 96 pages starting with page no 1

Superintending Engineer
Institute Works Department
IIT, Kanpur-208016 (U.P.)

Name of work: - Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building

The bidder Shall upload the following documents and submit the soft copy of the same mentioning the page no against each document as required in the NIT at CPP portal (Providing tick on specified document).

Sl. No	Particular	Document required as per NIT	Attached as page No(s).
1.	EMD scan copy		
2.	GST Registration Certificate or GST Undertaking		
3.	ESIC Registration		
4.	EPFO Registration		
5.	PAN card		
6.	Affidavit for not being blacklisted/ debarred/restrained		
7.	Performance report of works executed		
8.	Structure and Organization of the Agency		
9.	Declaration on Details of the Bidder(s)		
10.	Details of Similar Nature of Works Completed		
11.	Declaration about Site Inspection		
12.	Letter of Transmittal		
13.	CPWD-7		
14.	Tender Certificate		
15.	Tender Acceptance Letter		

16.	Copy of Financial turnover from CA along with audited balance sheets certified from CA/bank UDIN No for current 3years.		
17.	Solvency certificate CA/Bank ** or Net Worth certificate from certified chartered accountant		
18.	Registration details with CPWD/BSNL/MES/Central Government bodies/Central Government PSUs/State Government bodies		
19.	Integrity Pact should be signed and scanned copy of the same shall be uploaded along with technical bid.		
20	Any other documents		

** **Bank Solvency:** Preferably of the Current Financial Year, but not older than one year.

1. Notice Inviting e-Tenders

The Superintending Engineer, IWD, IIT Kanpur invites on behalf of Board of Governors of IIT Kanpur online percentage rates tender from eligible firms/ specialized agencies satisfying the eligibility criteria mentioned in the document.

NIT No: **10/Civil/D3/2026-27**

1	Name of work	:	Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building
2	Estimated cost (inclusive of GST)	:	Rs 3,32,44,473/-
3	Earnest Money Deposit(Rs.)	:	Rs. 6,64,889/-
4	Duration of contract	:	Six (06) Months
5	Last Time & date of submission of bids (Up to)	:	As per CPP portal data (https://eprocure.gov.in/eprocure/app)
6	Opening of bids	:	As per CPP portal data (https://eprocure.gov.in/eprocure/app)

The bid forms and other details may be downloaded from Central Public Procurement Portal (<http://eprocure.gov.in/eprocure/app>). Aspiring bidders who have not enrolled / registered in e-procurement should enroll / register themselves before participating through web site <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Instructions for online bid submission."

Bidders can access quotation / tender documents on the website (for searching in the NIC site), kindly go to quotation search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT quotations. Select the appropriate quotation / tender and fill them with all relevant information and submit the completed Quotation / Tender document online on the website <http://eprocure.gov.in/eprocure/app>. as per the schedule given in the next page.

Note: No manual bids will be accepted. All bids (both Technical & Financial) should be submitted in the e-procurement portal.

Applicants are advised to keep visiting the above-mentioned websites from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.

Superintending Engineer
Institute Works Department
IIT, Kanpur-208016 (U.P.)

1. Information and Instructions for Bidders for E-Tendering

The Superintending Engineer, IWD on behalf of Board of Governors of Indian Institute of Technology Kanpur invites online percentage rate tenders from eligible firms/ specialized agencies satisfying the eligibility criteria mentioned in the document.

2.1 Schedule

1	Name of organization	:	Indian Institute of Technology, Kanpur
2	NIT No.	:	10/Civil/D3/2026-27
3	Location	:	Indian Institute of Technology, Kanpur
4	Tender / Quotation type (open / limited /EOI / Auction / Single	:	Open
5	Tender / Quotation category (services / works	:	Works
6	Type of Contract (work / supply / auction/ service / buy / empanelment / sell	:	Works
7	Form of contract (CPWD-7/8)	:	CPWD-7
8	Work Category (civil / electrical / fleet / management / computer system	:	Civil
9	Is multi-currency allowed?	:	No
10	Date of publishing / issue / start	:	As per CPP portal
11	Document download start date	:	As per CPP portal
12	Document download end date	:	As per CPP portal
13	Date & time of pre-bid meeting	:	As per CPP portal
14	Venue of pre-bid meeting	:	As per CPP portal
15	Last date & time of uploading of bids	:	As per CPP portal
16	Date & time of opening of Technical bids	:	As per CPP portal
17	Bid Validity Days	:	90 days after opening of technicalbid
18	Earnest Money Deposit (EMD)	:	Rs. 6,64,889/-

19	No. of Bids / Covers (1 / 2 / 3 / 4)	:	2
20	Address for communication	:	Office of Executive Engineer, Division-III, IWD, IIT, Kanpur- 208016 (U. P.) Contact no. 0512-259-6253, 0512-259- 6718
21	Email address	:	seiwd@iitk.ac.in

The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.

1. Information and instructions for bidders posted on website shall form part of bid document.
2. The bid document consisting of drawings, specifications, schedule of quantities of items to be executed, schedule of stages for payment as applicable and the set of terms & conditions of the contract to be complied with and other necessary documents can be seen and downloaded free of cost from www.eprocure.gov.in/eprocure/app
3. But the bid can only be submitted after the EMD hard copy submission.
4. Those contractors not registered on the website mentioned above, are required to get registered beforehand. Only e-bids shall be accepted in CPPP portal through e-tendering processes.
5. The intending bidder must have valid Class-III digital signature to submit the bid.
6. On opening date, the contractor can login and see the bid opening process. After opening of bids, he will receive the competitor bid sheets.
7. Contractor can upload documents in the form of PDF format.
8. Contractor must ensure to quote rate of each item. The column meant for quoting rate in figures appears in pink colour and the moment rate is entered, it turns sky blue.

In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).

However, if a tenderer quotes nil rates against each item in item rate or does not quote any percentage above / below / at par on the total amount

- of the tender or any section/ sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.
9. The “Eligibility/technical Bid” shall be opened first on due date and time as per the evaluation scheme. The “Financial Bid” of bidders qualifying the technical bid shall be opened on a later date as to be announced in CPP portal.
 10. The bidders are advised to visit the site before submission of bids to have more clarity about the site conditions and availability of space for execution of the work.
 11. All modifications/addendums/corrigendum’s issued regarding this bidding process shall be uploaded on website only.
 12. The department reserves the right to reject any or all bids without assigning any reason thereof and may restrict the list of qualified bidders to any number deemed suitable by it, if too many bids are received satisfying the minimum laid down criteria.
 13. The rates for all items of work, shall unless clearly specified otherwise, include cost of all operations and all inputs of labour, material, T&P, scaffolding, wastages, watch and ward, other inputs, all incidental charges, all other taxes (inclusive of GST), cess, duties, levies etc. required for execution of the work.
 14. The specialized works shall be in compliance with 3 star GRIHA rating and as per environmental policies of Institute. Noting extra shall be payable on this account.
 15. The enlistment / registration of the contractors, (if applicable) should be valid on the last date of submission of bids. In case the last date of submission of bid is extended, the enlistment of contractor should be valid on the original date of submission of bids.
 16. The description of the work is as follows: “**Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building.**”
 17. The work is estimated to cost **Rs. 3,32,44,473/-**. However, this estimate given is mere approximation for guide.
 18. Agreement shall be drawn with the successful bidders on prescribed Form No. CPWD7 which is available as a Govt. of India Publication and also available on website www.cpwd.gov.in. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
 19. The time allowed for carrying out the entire work will be **Six (06) Months** from the date of start as defined in Schedule “F” or from the first date of handing

- over of the site, whichever is later, in accordance with the phasing as detailed in conditions of contract in the bid document.
20. The site for the work will be handed over as per the special terms and conditions of the document.
 21. An approval programme of completion submitted by the contractor after award of work based on the milestone given in the tender.
 22. The bid document consisting of NIT, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.eprocure.gov.in/eprocure/app free of cost.
 23. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
 24. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he/she need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
 25. Copy of documents as specified in the bid shall be scanned and uploaded to the e-tendering website within the period of bid submission.
 26. The bid submitted shall be opened at as per the details provided in the CPP portal at IWD office. The date of opening of Financial Bid shall be informed through web site after the opening of technical bid.
 27. The bid submitted shall become invalid and e- processing fee shall not be refunded if:
 - i) The bidder is found ineligible.
 - ii) **If the bidder does not deposit original EMD to the office of Executive Engineer, Div-III, Central office, IWD, IIT Kanpur (except in case of e-bank Guarantee).**
 - iii) The bidder does not upload scanned copies of all the documents stipulated in the bid document.
 - iv) If a tenderer quotes nil rates against each item in item rate or does not quote any percentage above / below / at par on the total amount of the tender or any section/ sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.
 28. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% of tendered value within the period specified in Schedule F. This guarantee shall be in the form of Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with

the prescribed form.

29. In case the contractor fails to deposit the said performance guarantee within the periodas indicated in Schedule 'F' including the extended period if any, the contractor shall be suspended for two years and shall not be eligible to bid for IITK tenders from the date of issue of suspension order.
30. The contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining licenses, registration with EPFO, ESIC and BOCW Welfare Board including Provident Fund Code No. If applicable and also ensure the compliance of afore said provisions by the sub-contractors, if any engaged by the contractor for the said work and program chart (Time and Progress) within the period specified in Schedule 'F'.
31. Intending Bidders are advised to inspect and examine the sites and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, making proper arrangements to the site for smooth operation, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. Bidder shall be deemed to have full knowledge of the sites whether he inspects it or not and no extracharge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Institute and local conditions and other factors having a bearing on the execution of the work.
32. Intending Bidders are advised to get familiarized with the specifications /rules related (**i.e. Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building**) to the work as approved by the competent authority and various policies related to C&D waste and other environmental guidelines of the institute pertaining to the. Bidder shall be deemed to have full knowledge of such rules and regulations whether he has read it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. In case of reduction of scope of work or no work is possible to carry out on account of such issues, no cost shall be payable to them.

Submission of a bid by the bidder implies that he has read this notice and all other documents and has made himself aware of the Institute Regulations and other factors having a bearing on the execution of the work.

33. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without assigning any reason. Bids in which any of the prescribed conditions is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.
34. Canvassing whether directly or indirectly, in connection with bids is strictly prohibited and the bids submitted by the bidders who resort to canvassing will be liable to rejection.
35. The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidders shall be bound to perform the same at the rate quoted.
36. The contractor shall not be permitted to bid for works in the Institute Works Department responsible for award and execution of contracts, in which his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive) in IWD. He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Office of IWD/ Institute Works Department. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
37. No Engineer of Gazetted Rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government services without the prior permission of the Government of India in writing. This contract is liable to be canceled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's services.
38. The bids for the work shall remain open for acceptance for a period of Ninety (90) days from the date of opening of technical bid. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the Institute shall, without

prejudice to any other right or remedy, be at liberty to suspend the bidder for one year

39. This notice inviting Bid shall form a part of the contract document. The successful bidders/contractor, on acceptance of his bid by the Accepting Authority shall within 7 days from the stipulated date of start of the work, will sign the contract.
40. The contract consisting of The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
41. Standard C.P.W.D. Form 7 or other Standard C.P.W.D. Form as applicable.
42. The bid document will include the following components:
 - (a) CPWD-7 and CPWD-6 including Schedule A to F for all the components of the work, Standard General Conditions of Contract for CPWD 2023 as amended/modified up to last date of submission of the bid.
 - (b) General / specific conditions, specifications applicable to all components of the work.
43. The eligible bidders shall quote percentage rates after considering all the components of the work.
44. After acceptance of the bid by competent authority, the Superintending Engineer, IWD shall issue letter of award on behalf of the Board of Governors to the contractor. After the work is awarded, the contractor will have to enter into one agreement with Executive Engineer, IWD. One such signed set of agreement shall be handed over to Engineer-In-Charge as applicable.
45. Entire work under the scope of bid shall be executed under one agreement.
46. The requirement of technical staff given in various specialized works is as per requirements given in clause 32 of NIT document. The actual deployment of these technical staff will be as per execution of work and direction of the Executive Engineer, IWD, IIT, Kanpur.
47. The bill for work components shall be facilitated by Engineer-in-Charge to the contractor.
48. The Final bill must be submitted to the Office of IWD, IIT Kanpur and the bills shall be based on milestones.
49. The work shall be treated as complete when all the components of the work

are complete.

50. It will be obligatory on the part of bidder to sign the contract document for all components before the first payment is released.
51. In case of reduction in scope of work no claim on account of reduction in value of work, loss of expected profit, consequential overheads etc. shall be entertained.
52. A team of officers from Indian Institute of Technology Kanpur may visit the office/ site of work of bidders for establishing their credibility and verification of submitted documents
53. The mentioned work is urgent as requested by client/Institute and to be completed strictly in given time schedule as per special terms and conditions. The contractor has to deploy the labour and supervisory staff in shifts to meet the targeted completion date. The work may be executed in extended shifts or two shifts. The rates quoted by the contractor will be deemed to be inclusive of any extra expenditures on account of this reason. Nothing shall be paid on this account.
54. The competent authority on behalf of the Board of Governors reserves the right to terminate the contract if,
 - a) Any violation of labour law has been observed.
 - b) Any of the construction workers engaged in the works under this contract is found also engaged in Service Contracts of the Institute at the same time.
55. The competent authority on behalf of the Board of Governors reserves the right to disqualify an agency for
 - a) Non-compliance of Institute orders
 - b) Violation of Institute policies as established by the Competent Authority in the best interests of the Institute.

2.2 Instructions for Online BID Submission

This tender document has been published on the Central Public Procurement Portal (URL: <http://eprocure.gov.in/eprocure/app>) The bidders are required to submit softcopies of their bids electronically on the CPP portal, using valid Digital Signature Certificates (DSC). The instructions given below are meant to assist the bidders in registering on the CPP portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP portal.

More information useful for submitting online bids on the CPP portal may

be obtained at <http://eprocure.gov.in/eprocure/app>).

2.2.1 Registration

1. Bidders are required to enroll on the e-procurement module of the Central Public Procurement portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)) by clicking on the link, “click here to enroll”. Enrolment on the CPP portal is free of charge.
2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for the accounts.
3. Bidders are advised to register their valid e-mail address and mobile number as part of the registration process. These would be used for any communication from the CPPP portal.
4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (class 2 or class 3 certificates with signing key usage) issued by any certifying authority recognized by CCA India (e.g. Sify / TCS / nCode/ eMudhra etc.) with their profile.
5. Only one valid DSC should be registered by a bidder. Please note that bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
6. Bidder then logs in to the site through the secured log-in by entering their user ID Password and the password of the DSC / eToken.

2.2.2 Searching for tender documents

1. There are various search options built in the CPP portal to facilitate bidders to search active tenders by several parameters. These parameters could include tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP portal
2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. The tenders can be moved to the respective “My Tenders” folder. This would enable the CPP portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
3. The bidder should make a note of the unique Tender ID assigned to each other; in case they want to obtain any clarification/help from the Helpdesk.

2.2.3 Preparation of bids

1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bids. Please note the number of covers in which the bid documents have to be submitted. Any deviations from these may lead to rejection of the bids.
3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black & white option.
4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g., PAN card copy, annual reports, auditor's certificates, etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

2.2.4 Submission of bids

1. Bidder should log into the site well in advance for bid submission so that he / she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3. A standard BOQ Format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the white colored [unprotected] cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases, financial bids can be submitted in PDF format as well (in

lieu of BOQ).

4. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
5. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done.
6. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
7. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
8. Add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

2.2.5 Assistance to bidders

1. Any queries relating to tender document and the terms and conditions contained therein should be addressed to the tender inviting authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to CPP portal in general may be directed to the 24 x 7 CPP Portal Help Desk.

2.2.6 General instruction to bidders

1. The tenders will be received online through portal <https://eprocure.gov.in/eprocure/app>. In the technical bids, the bidders are required to upload all the documents in PDF format.
2. Possession of a valid class II / III Digital Signature Certificate (DSC) in the form of smart card / e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the website <https://eprocure.gov.in/eprocure/app> under the link "Information about DSC".

Tenderers are advised to follow the instructions provided in the "Instructions to the tenderer" for the e-submission of the bids online through the Central Public Procurement Portal for e-procurement at <https://eprocure.gov.in/eprocure/app>.

Superintending Engineer
Institute Works Department
IIT, Kanpur-208016 (U.P.)

2.3 List of documents to be scanned and uploaded within the period of bid submission

The following mandatory documents to be submitted with online bid submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained here: -

2.3.1 Envelope - 1: Technical Bid

The following mandatory documents to be provided as a single PDF file in the same sequence as listed for an eligible bid:

1. EMD scanned copy shall be submitted along with the technical bid and original have to be submitted in the office of the tender inviting authority **
2. GST Registration Certificate or GST Undertaking as per 5.1
3. EPF & ESI Registration
4. Copy of PAN card
5. Affidavit for not being blacklisted/debarred/restrained as per 5.2
6. Performance report of works executed as per 5.3
7. Structure and Organization of the Agency as per 5.4
8. Declaration on Details of the Bidder(s) as per 5.5
9. Details of Similar Nature of Works Completed as per 5.6
10. Declaration about Site Inspection as per 5.7
11. Letter of Transmittal as per 5.8
12. CPWD-7 as per 5.9
13. Tender Certificate as per 5.10
14. Tender Acceptance Letter as per 5.11
15. Financial Information as per 5.12
16. Solvency certificate as per 5.13 (minimum 40% of estimated cost put to tender)
Or Net Worth Certificate (minimum 10% of estimated cost put to tender) from certified Chartered Accountant as per 5.14

17. Registration details with CPWD/BSNL/MES/Central Government bodies/Central Government PSUs/State Government bodies.

18. Integrity Pact should be signed and scanned copy of the same shall be uploaded along with technical bid. (Annexure-B)

**** The bidder must provide an Earnest Money Deposit (EMD) for the amount specified in the tender document. This should be in the form of a bank guarantee (including e-bank Guarantee) or Banker's Cheque or Demand Draft (DD) or Fixed Deposit receipt issued by Scheduled Commercial Bank or Nationalized Bank in favour of "The Director, IIT Kanpur" Payable at Kanpur shall be scanned and uploaded to the e-tendering website by the bidder within the period of bid submission. The hard copy of earnest despite receipt (EMD) shall be submitted in the office of Executive Engineer Div-III, Central Office IWD, IIT Kanpur (except in case of e-bank Guarantee) before**

the date and time of opening of technical bids as specified in the bid document.

2.3.2 Envelope - 2: Financial Bid

Price bid should be submitted in BOQ format

3. Eligibility Criteria

3.1 Eligibility criteria for contractors

The eligible contractors mean registered in appropriate class and category with CPWD/BSNL/MES/Central Government bodies/Central Government PSUs/State Government bodies.

Eligible Bidders

Eligible bidders should also satisfy the following criteria for an eligible bid:

1. Average annual financial turn over:

Average annual financial turnover of civil works should be at least 30% of the estimated cost of work put to tender during the last 3 consecutive financial years by the certified Chartered Accountant. Audited turnover statements to be furnished as proof of the same duly certified by chartered accountant along with Profit & Loss Statements.

2. Experience

(Firms/Contractors must have completed satisfactorily)

- i) One similar work of 80% value of the estimated cost put to tender Or
- ii) Two similar works of 60% value of the estimated cost put to tender Or
- iii) Three similar works of 40% value of the estimated cost put to tender

Works completed during last 7 years ending last day of the month previous to the one in which applications are invited.

And

One completed work of similar nature costing not less than the amount equal to 40% of the estimated cost put to tender (either part of above or a separate one) with Central Government bodies /Central Autonomous Body/ Central Public Sector Undertakings/State Government bodies in last 7 Year.

3. Definition of similar work: Similar type of work means “Construction works in residential houses/ apartments/ quarters / offices/ laboratories and general civil infrastructures”.

4. Bidding Capacity: -Proforma for submission of Details of Eligible Similar Nature of Works Completed* during the Last Seven Years ending previous day of the last date of

submission of tenders (Scanned copy of the Performance Reports to be uploaded) The bidding capacity of the contractor should be equal to, or more than the estimated cost of the work put to tender. The bidding capacity shall be worked out by the following formula: Bidding Capacity = $[A \times N \times 1.5] - B$, where A = Maximum turnover in construction works executed in any one year during the last seven years taking into account the completed as well as works in progress. The value of completed works shall be brought to current costing level by enhancing at a simple rate of 7%, N = Number of years prescribed for completion of work for which bids has been invited. B = Value of existing commitments and ongoing works to be completed during the period of completion of work for which bids have been invited.

Eligible bidders must also satisfy the following conditions and ensure submission of all documents mentioned in 2.3

1. **INTEGRITY PACT (Annexure-B):** The contractor shall download the Integrity Pact, which is a part of tender document, affix his signature & seal in the presence of a witness and upload the same while submitting the online bids. In absence of duly signed integrity pact the bids shall not be considered for technical evaluation.
2. **Legal:** Unregistered Partnership Firm and Joint Venture or Consortium are not eligible.
3. **Registration:** Bidder should be registered with the Income Tax Department (PAN), Employees Provident Fund (EPF) Organization, Employees State Insurance (ESI) Corporation & GST. Bidders are not eligible in absence of these documents.
4. **Office:** Bidders have to establish its local accessible office registered with local GSTIN at IIT Kanpur to run the awarded work.

4. Bid Evaluation and Award

The following process will be followed for the Technical and Financial Bids Evaluation:

4.1 Technical Bid Evaluation

- Technical bids received complete in all respects covering the entire scope of work, will only be opened
- The technical bid evaluation is done only for bidders who satisfy the minimum criteria by submitting documentary proof supporting eligibility criteria and the bids of agencies who have not submitted these documents are liable to be rejected without notice.

4.2 Financial Bid Evaluation

For financial bids, the following points shall be followed:

- After evaluation of Pre-Qualification Documents, a list of short-listed agencies will be prepared.

- Thereafter the financial bids of only the qualified and technically acceptable bidders shall be opened at the notified time, date and place in the presence of the qualified bidders or their representatives, if present.
- The bid shall remain valid for Ninety (90) days from date of opening of eligibility bids/Technical bid.

NOTE

The employer reserves the right, without being liable for any damages or obligation to inform the bidder, to:

- Amend the scope and value of contract to the bidder.
- Reject any or all the applications without assigning any reason.

Any effort on the part of the bidder or his agent to exercise influence or to pressurize the employer would result in rejection of his bid. Canvassing of any kind is prohibited.

5. Various Forms and Formats

5.1 Undertaking regarding obtaining GST registration

Proforma for Undertaking regarding obtaining GST registration Certificate of The State in which work is to be taken up

(Undertaking to be furnished on a 'non-judicial' stamp paper worth Rs.100/)

(Scanned copy of this notarized undertaking to be uploaded at the time of submission of bid, if required)

If work is awarded to me, I/we shall obtain GST registration Certificate of the State, in which work is to be taken up within one month from the date of receipt of award letter or before release of any payment by IITK, whichever is earlier, failing which I/We shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by IITK or GST department in this regard.

Signature of bidder(s)

OR

(An authorized Officer of the firm with stamp)

Signature of Notary with Seal

5.2 Affidavit for not being blacklisted/debarred/restrained

Proforma for AFFIDAVIT for not being blacklisted /debarred /restrained (AFFIDAVIT to be submitted on a 'Non-Judicial' stamp paper worth Rs.100/) (Scanned copy of this notarized affidavit to be uploaded at the time of submission of bid)

I/we undertake and confirm that our firm/partnership firm has not been blacklisted and /or debarred /restrained by any Central Govt./ State Govt. Agency/ Autonomous body of the Central or State govt./ PSU etc. Further that, if such information comes to the notice of the Institute, then I/we shall be debarred for bidding in the Institute in future forever. Also, if such information comes to the notice of the Institute on any day before date of start of work, the competent authority shall be free to cancel the agreement and to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee.

Signature of bidder(s)

OR

(An authorized Officer of the firm with stamp)

Signature of Notary with Seal

5.3 Performance report on work executed

Proforma of Performance report issued by the concerned department letter head)

(Scanned copy of the Performance Reports to be uploaded at the time of submission of bid)

1. Name of work/project & location:
2. Agreement no.:
3. Estimated cost:
4. Tendered cost:
5. Date of start:
6. Date of completion:
7. Stipulated date of completion:
8. Actual date of completion:
9. Amount of compensation levied for delayed completion, if any:
10. Amount of reduced rate items, if any:
11. Performance Report:
 - (a) Quality of work: Outstanding / Very Good / Good /Poor
 - (b) Technical Proficiency: Outstanding / Very Good / Good /Poor
 - (c) Resourcefulness: Outstanding / Very Good / Good /Poor
 - (d) General Behavior: Outstanding / Very Good / Good /Poor

Signature of Executive Engineer or Equivalent

Dated:

5.4 Structure and Organization of the Agency

Proforma of providing Structure and Organization of the Bidding Agency
(To be printed in Company's Letterhead)

(Scanned copy of the Structure and Organization Document to be uploaded at the time of submission of bid)

1. Name & address of the bidder:
2. Telephone no./Telex no./Fax no.:
3. Email address for Communication:
4. Legal status of the bidder (attach copies of original document defining the legal status):
 - (a) An Individual:
 - (b) A proprietary firm:
 - (c) A firm in partnership:
 - (d) A limited company or Corporation:
5. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization / Place of registration	Registration No.
1.	
2.	
3.	
6. Names and titles of Directors & Officers with designation to be concerned with this work.
7. Designation of individuals authorized to act for the organization
8. Has the bidder, or any constituent partner in case of partnership firm, ever been convicted by the court of law? If so, give details.
9. Any other information considered necessary but not included above.

Signature of bidder(s)

5.5 Declaration on Details of the Bidders

Proforma of Declaration on Details of the Bidders
(To be printed in Company's Letterhead)

(Scanned copy of the Performance Reports to be uploaded at the time of submission of bid)

DECLARATION

I/We, hereby declare that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I/we have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

Particulars of the bidder as per following details:

1.	Name of the firm / organization	:	
2.	Type of the firm / organization: Public Ltd, / Private Ltd./ Registered firm	:	
3	Registered office	:	
4	Address of office	:	
5	Contract people	:	
6	Name & designation	:	
7	Land line & mobile no.	:	
8	Email	:	
9	PAN No.	:	
10	GST No.	:	
11	EPF Registration No.	:	
12	ESI Registration No.	:	
13	EMD/FDR/DD No. & Date	:	
14	Registration details with CPWD/BSNL/MES/Central Government bodies/Central Government PSUs/State Government bodies.	:	
15	Validity of the registration with the Govt. department	:	
16	Tendering limit as per the registration details	:	
17	Has the applicant ever been required to suspend any project for a period of more than six	:	If so, give the name of the project and reasons of suspension of project

	months continuously after Commencement of work?		
18	Has the applicant ever been convicted by a court of law?	:	YES / NO, If yes give details of the case
19	Details of any litigation in which the applicant is / was involved.	:	
20	All forms submitted as desired in the bid	:	Yes / No
21	Undertaking regarding no subletting of work.	:	

We further declare that our organization has not been blacklisted / delisted or put to any holiday by any Institutional agency / Govt. Department / Public Sector Undertaking in the last three years.

Signature of Bidder(s) with seal

Dated:

5.6 Details of Similar Nature of Works Completed, project under execution and Bidding capacity

Proforma for submission of Details of Eligible Similar Nature of Works Completed*during the Last Seven Years ending previous day of the last date of submission of tenders (Scanned copy of the Performance Reports to be uploaded)

The bidding capacity of the contractor should be equal to, or more than the estimated cost of the work put to tender. The bidding capacity shall be worked out by the following formula: Bidding Capacity = $[A \times N \times 1.5] - B$, where

A = Maximum turnover in construction works executed in any one year during the last seven years taking into account the completed as well as works in progress. The value of completed works shall be brought to current costing level by enhancing at a simple rate of 7%. N = Number of years prescribed for completion of work for which bids has been invited. B = Value of existing commitments and ongoing works to be completed during the period of completion of work for which bids have been invited.

The contractor needs to submit the supporting documents for calculation of A & B as above. For calculation of B, information is to be supplied in the following tabular format:

Table B- Projects under execution or awarded.

Sr. No	Name of work / project and location	Owner s or sponso ring organ ization	Const of work in crores of ru pees	Date of comme nce ment as per con tract	Stipulat ed date of comple tion	Uptoda te percent age progres s of work	Slow progress if any, and reasons thereof	Name and address / tele- phone number of officers to whom reference may be made	Remarks
1	2	3	4	5	6	7	8	9	10

Certified that the above list of work is complete and no work has been left out and that the information given is correct to my knowledge.

Table B1- Similar Nature of work completed

Sr. No	Name of work / project and location	Owner s or sponso ring organ ization	Const of work in crores of ru pees	Date of comme nce ment as per con tract	Stipulat ed date of comple tion	Actual date of comple tion	Litigatio n/ arbitrati on cases pending /in Progress with details*	Name and address / tele- phone number of officers to whom reference may be made	Whether the work was done on back to back basis Yes/No
1	2	3	4	5	6	7	8	9	10

* Indicate gross amount claimed and amount awarded by the Arbitrator.

Signature of bidder(s) with seal

Dated:

5.7 Declaration About Site Inspection

Declaration about Site Inspection

(By Bidder)

To
The Executive Engineer,
Institute Works Department,
IIT, Kanpur-208016 (U.P.)

Subject: Submission of Tender for the work of “Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building.”

Dear Sir/Madam,

It is hereby declared that as per terms and conditions of this tender document, I/ We the bidder inspected and examined the subject site and its surrounding and satisfy myself / ourselves as to the nature of the ground and sub-soil (so far as is practicable), the forms and nature of the site./ ourselves before submitting the bid, the accommodation which may require and all necessary information as to risks, contingencies and other circumstances which may influence or affect our bid have been obtained. I/We the bidder shall have full knowledge of the site and no extra charge consequent upon any misunderstanding or otherwise shall be claimed in later date. I /We bidder shall be responsible for arranging and maintaining at own cost all materials,tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by me/us implies that I / We have read this notice and all other contract documents and has made myself /ourselves aware of the scope and specifications of the work to be done and local conditions and other factors having a bearing on the execution of the work.

Sincerely

(Duly authorized signatory of the Bidder)

5.8 Letter of Transmittal

To
The Executive Engineer,
Institute Works Department
IIT, Kanpur-208016 (U.P.)

Name of Work: Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building

Dear Sir/Madam

Having examined details given in Notice and bid document for the above work, I/we hereby submit the relevant information.

1. I/We hereby certify that all the statements made and information supplied in the enclosed forms and accompanying statement are true and correct.
2. I/we have furnished all information and details necessary for eligibility and have no further pertinent information to supply.
3. I/We also authorize the Executive Engineer, IWD, Indian Institute of Technology Kanpur or his representative(s) to approach individuals, employers, firms and corporation to verify our competence, work experience, and general reputation.
4. I/we submit the following certificates in support of our suitability, technical knowledge and capability for having successfully completed the following eligible completed works:

Sl. No.	Name of work	Amount	Certificate issued by
1			
2			
3			

CERTIFICATE

It is certified that the information given in the enclosed eligibility bid are correct. It is also certified that I/We shall be liable to be debarred, disqualified/ cancelation of enlistment in case any information furnished by me/us found to be incorrect.

Signature(s) of Bidder with seal

Enclosures:

Date:

5.9 CPWD-7

CPWD-7

PERCENTAGE RATE TENDER & CONTRACT FOR WORKS

Tender for the “Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building.”

1. To be uploaded as per details uploaded in CPP portal at www.eprocure.gov
2. To be opened in the presence of tenderers who may be present at the time of opening in the Executive Engineer, IWD, IIT Kanpur.
3. The pre-qualification/Technical bid shall be opened first on due date and time as mentioned above. The time and date of opening of financial bid of contractors qualifying the technical bid shall be communicated to them at a later date.

TENDER

(To be signed in Company's Letterhead)

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, General Conditions of Contract (For construction works) 2023, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Board of Governors within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for Ninety (90) days from the due date of its opening and not to make any modification in its terms and conditions.

I/We have deposited EMD for the prescribed amount in the office of concerned Executive Engineer as per the bid document.

If I/We, fail to furnish the prescribed performance guarantee within prescribed period, I/We agree that the said Board of Governors or his successors, in office shall without prejudice to any other right or remedy, be at liberty to take action as per GCC 2023. Further, if I/We fail to commence work as specified, I/We agree that Board of Governors or the successors in office shall without prejudice to any other

right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clauses 12.2 and 12.3 of the tender form.

Further, I/We agree that in case of forfeiture of Earnest Money or performance Guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back-to-back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in Indian Institute of Technology Kanpur in future forever. Also, if such a violation comes to the notice of Indian Institute of Technology Kanpur before date of start of work, the Executive Engineer, IWD shall be free to forfeit the entire amount of Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information / derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety & integrity of IIT Kanpur.

Signature(s) of Contractor(s) with seal

Dated:

Address

Occupation

5.10 Tender Certificate

(To be given on Company Letter Head)

Date:

To,
Executive Engineer,
IWD, IIT,
Kanpur-208016(U.P.)

Sub: Certificate of compliance as per Rule 144 (xi) GFR's 2017
Tender Reference No:

Name of Tender / Work:

Dear Sir,

1. "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfils all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

2. "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all the requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

Yours Faithfully,

(Signature of the Bidder(s), with Official Seal)

5.11 Tender Acceptance Letter

(to be give on company letter head)

To,
The Superintending Engineer
IWD, IIT, Kanpur

Sub: Acceptance of terms & conditions of tender. Reference no.

Name of Tender / Work:

Dear Sir,

1. I / We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: as per your advertisement, given in the above-mentioned website(s).
2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents from Page No..... to (including all documents like annexure(s), schedule(s), etc.), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/ organization too have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the tender conditions of above-mentioned tender document(s) / corrigendum(s) in its totality / entirety.
5. I / We do hereby declare that our Firm has not been blacklisted/ debarred/ terminated/ banned by any Govt. Department/Public sector undertaking.
6. I / We certify that all information furnished by our Firm is true & correct and, in the event, that the information is found to be incorrect/untrue or found violated, then your department/ organization shall without giving any notice or reason therefore or summarily reject the bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official
Seal)

5.12 Financial Information

Proforma for providing Financial Information

(Scanned copy of the completed information sheet to be uploaded at the time of submission of bid)

Financial Analysis: Details to be furnished duly supported by figures in balance sheet/ profit & loss account for the last three financial years duly certified by the Chartered Accountant, as submitted by the applicant to the Income Tax Department (Copies to be attached).

Financial Years	2022-23	2023-24	2024-25
Gross Annual turnover			
Profit/Loss			

Signature of Chartered Accountant with Seal

Signature of bidder(s)

5.13 Banker's Certificate from a scheduled Bank

Proforma of Banker's Certificate from a Scheduled Bank

(To be printed in Bank's Letterhead)

(Scanned copy of the Certificate to be uploaded at the time of submission of bid)

This is to certify that to the best of our knowledge and information that M/s./Sh..... having marginally noted address, a customer of our bank are/is respectable and can be treated as good for any engagement up to a limit of Rs (Rupees). This certificate is issued without any guarantee or responsibility on the bank or any of the officers.

.....
(Signature for the Bank)

NOTE:

1. Bankers certificates should be on letter head of the Bank, addressed to tendering authority.
2. In case of partnership firm, certificate should include names of all partners as recorded with the Bank.

5.14 Net Worth Certificate by certified Chartered Accountant

Proforma of Net Worth Certificate by certified Chartered Accountant

(To be printed in Letterhead of Chartered Accountant)

(Scanned copy of the Certificate to be uploaded at the time of submission of bid)

This is to certify that as per the audited Balance Sheet and Profit & Loss statement of the account during the financial year, the net worth of M/s./Sh.....(Name & Registered Address of individual/firm/company) as on 31.3.2025 is Rs..... (Rupees.) after considering all liabilities. It is further certified that the net worth of the company has not eroded by more than 30% in the last three years ending on 31.3.2025.

.....
(Signature of the Chartered Accountant)

.....
(Name of the Chartered Accountant)

.....
(Membership No. of ICAI)

.....
(Date & Seal)

6 Proforma of Schedules

Operative schedules shall be supplied separately to each intending tenderer

SCHEDULE "A"	Schedule of Qty	Uploaded separately
---------------------	-----------------	---------------------

SCHEDULE 'B'

Schedule of materials to be issued to the contractor:

S. No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
1	2	3	4	5
NIL				

SCHEDULE 'C'

Schedule of Tools and Plants to be hired to the contractor

S. No.	Description	Hire charges per day	Place of issue
1	2	3	4
-----NIL -----			

SCHEDULE "D"	Extra schedule for specific requirements/document for the work, if any:	As attached in tender form.
SCHEDULE "E"	Schedule of component of other Materials, Labour, POL etc. for price escalation	N. A.
SCHEDULE "F"	Reference to General Conditions of contract.	
Name of Work:	Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building	
Estimated cost of the work:	Rs. 3,32,44,473/-	
Earnest money	Rs. 6,64,889/-	
Performance Guarantee	5% of tendered value PG shall be 5% of the Estimated cost put to tender (ECPT) or contract amount whichever is higher, valid up to stipulated date of completion and Six (6) months 41 beyond that. a) A bid will be treated	

	abnormally low if the quoted amount is lesser than 80% of estimated cost put to tender. b) Requirement of Additional proforma Guarantee (APG): In case of abnormally low bids as defined above, the bidder shall be required Additional Performance Guarantee (APG) in addition to the Standard Performance Guarantee (PG). The amount of Additional Performance Guarantee (APG) shall be equivalent to the difference between the 80% amount of ECPT and quoted amount. (e.g. if is A and quoted amount is 0.7A then the amount of APG shall be 0.8A-0.7A). The Additional Performance Guarantee (APG) shall be in the prescribed format of Performance Guarantee and has to be submitted within the time frame prescribed for submission of Performance Guarantee. The other terms and conditions of release etc. Of APG shall be same as that of PG.
Security Deposit	2.5% of the tendered value of the work

General rules and direction:

Officer inviting tender	Superintending Engineer, IWD, IIT, Kanpur
-------------------------	--

Definitions:

2(vi)	Engineer-in-charge	
	For civil item works	Executive Engineer, IWD, IIT Kanpur
2(viii)	Accepting authority	Superintending Engineer, IWD, IIT Kanpur
2(x)	Percentage on cost of materials and labor to cover all overheads and profits	15%
2(x)(b)	Standard Schedule of Rates: Civil Items of Work:	D.S.R. 2023-as modified & corrected up to date.
2(xi)	Department	IWD, IIT Kanpur
9(ii)	Standard CPWD contract Form:	GCC construction 2023, CPWD form-7 as modified & corrected up to date.
Clause 1	i) Time allowed for submission of	7 Days

	Performance Guarantee from the date of issue of letter of acceptance ii) Maximum allowable extension with late fee @0.1% per day of performance guarantee amount beyond the period as provided in i) above	7 Days
Clause 1A	Recovery of Security Deposit	Applicable.
Clause 2	Authority for fixing Compensation under Clause 2	SE, IWD, IIT, Kanpur. Or successor thereof
Clause 2A	Whether Clause 2A shall be applicable	Yes
Clause 5	i) Number of days from the date of issue of issue of letter of acceptance for reckoning date of start ii) Time allowed for execution of work	15 days Six (06) Months
i)	Number of days from the date of issue of letter of acceptance for reckoning date of start	15 days
ii)	Mile stone	Time allowed for execution of work along with the amount to be withheld in case of non-achievement of milestone are shown in Tables 6
Authority to decide	Extension of time	SE, IWD, IIT, Kanpur.
Clause 6	Computerized Measurement of bills	APPLICABLE
Clause 7	Payment on intermediate certificate to be regarded as Advances	APPLICABLE

Clause 10A	Material to be provided by the contractor	APPLICABLE
Clause 10B (ii), (iii)	Whether clause 10-B (ii) and 10-B (iii) shall be applicable.	NOT APPLICABLE
Clause 10 C	Component of labour expressed as percentage of value of work	NOT APPLICABLE
Clause 10 CA	Materials covered under this clause Nearest Material for which All India Wholesale Price Index is to be Followed	NOT APPLICABLE
Clause 10 CC	Increase/Decrease in Price of materials/wages	NOT APPLICABLE
Clause 11	Work to be Executed in Accordance with Specifications, Drawings, Orders etc.	CPWD Specifications of all Civil items (CPWD Civil specification vol.1 and vol.2, 2019), with correction Slips issued up to the last date of receipt of tenders and as per NIT for Civil Works.
Clause 12: Type of work		Original work.
Clause 12.2 & 12.3: Deviation limit beyond which clause 12.2 & 12.3 shall apply for Building works	Apply for building work	30%
Clause 16	Competent Authority for deciding reduced rates: For Civil items	S.E., IWD IITKANPUR
Clause 17	Defect liability period	One year

Clause 18	List of mandatory machinery, tools & plants to be deployed by the contractor at site	As per site requirement
Clause 32	Requirement of Technical Representative(s)	As per table 9

The details of appointed engineers/technical staffs have to be verified and approved by Engineer- in-charge

**Table 6
Major milestones of the project**

Sl. No.	Description of Milestone (Physical)	Time allowed from date of start	Maximum duration of work	Amount to be withheld in case of non achieve of the milestones (% of composite tendered amount)
1.	Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building	24 weeks	24 weeks	1 %

The detailed program chart approved by the engineer-in-charge shall indicate how the resources will be deployed by the contractor to maintain desired progress and for the completion of the work within the specified period. If the submitted program is approved, the milestone shall be redefined accordingly by the Superintending Engineer, IWD Indian Institute of Technology Kanpur. The amount to be withheld in such a case, for non-achievement of milestone(s), shall remain unaltered i.e., 1% of tendered amount

1.	Time allowed for execution of work	Six (06) Months
----	------------------------------------	------------------------

**Table 7
Authority to decide**

1.	Extension of time (EOT)	SE, IWD IIT Kanpur
2.	Rescheduling of milestones	SE, IWD, IIT, Kanpur

3.	Shifting of start in case of delay in handing over of site.	SE, IWD, IIT, Kanpur			
Table 8: Materials for which all India Wholesale Price Index to be followed Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed)					
Sl. No.	Material covered under this clause	Base Price (with GST) of Materials, covered under clause 10 CA			
1.	Portland Pozzolana Cement (PPC)/ Ordinary Pozzolana Cement	NIL			
2.	Steel for Reinforcement TMT Fe 500D primary manufacturer	NIL			
3.	Structural steel (Primary producers)	NIL			
Table 9 Requirement of Technical staff as per Clause 32					
Sl. No.	Qualification	Number	Minimum Experience in years	Designation	Rate at which the recovery shall be made from the contractor in the event of not fulfilling provision of Clause 32
1.	Graduate / Diploma	1	5	Project / Planning / construction / billing Engineer (Civil)	Rs. 25000/- (Rupees Twenty Five Thousand only) per month, per person
Note: Assistant Engineers retired from Government services who are holding Diploma will be treated at par with Graduate Engineers. Diploma holder with minimum 10 years relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment					

subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineer.

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

Sl No	Description of items	Rates in figures and words at which recovery shall be made from the contractor	
		Excess beyond permissible variation	Less use beyond the permissible variation
1.	Cement (PPC)	Double the Issue rate	Double the Issue rate
2.	Steel reinforcement (TMT Bars)	Not Applicable	Not Applicable

3 Terms & Conditions of Contract

7.1 Timely Completion

1. The work included in this tender is of urgent nature.
2. The work of all components must be started simultaneously and has to be delivered together or early within the given time schedule.
3. The contractor has to deploy the labor and supervisory staff in shifts to meet the targeted completion date. The work may be executed in extended shifts or two shifts.
4. Number of days from the date of issue of letter of acceptance for reckoning date of start shall be as per Schedule. If the Contractor commits default in commencing the execution of the work as aforesaid, the performance guarantee shall be forfeited.
5. The detailed program chart approved by the engineer-in-charge shall indicate how the resources will be deployed by the contractor to maintain desired progress and for the completion of the work within the specified period. If the submitted program is approved, the milestone shall be redefined accordingly by the Executive Engineer of IWD, IITK. The amount to be withheld in such a case, for non-achievement of milestone(s), shall remain unaltered. Any delay in achieving the milestone must be compensated within the limitations of time imposed in the Contract document
6. The contractor shall procure the required materials in advance so that there is sufficient time for testing of the materials and approval of the same before use in the work, as required.
7. Temporary Electric connection (Single/ Three phase) shall be provided by the Institute from its distribution network and the charges shall be realized prevalent commercial tariff of the institute presently recovery rate is Rs. 9.19 Per unit on the basis of actual consumption through the separate meter under the control of Engineer-In-Charge. If the rates are revised in future the same shall be applicable to the contractor. The contractor at his own cost shall arranged the cables for the service connection and the sub meter. The fixed charges shall be payable as per Institute policy.

7.2 Rates

1. Unless otherwise provided in the schedule of quantities of the work the rates tendered by the contractor shall be all inclusive and shall apply to all heights, lifts, leads and depths of the building (Inclusive of GST) and nothing extra shall be payable to him on this account.
2. The rates for all items of work shall, unless clearly specified otherwise, include cost of alllabours, materials and other inputs involved in the execution of the item irrespective of whether they have been specifically mentioned in the

tender document or not.

3. In case the same item (s) appear more than once in the schedule of work / BOQ under the same sub head or among the different subhead of works, the lowest rate quoted for that item (s) shall be considered for the particular item(s) wherever appeared in any part of BOQ / Schedule of works for the purpose of tender evaluation although web generated e-price bid may incorporate different quoted rate for same item(s) as per the quoting pattern of the tenderer. The tendered amount thus worked out shall be final & shall be binding on the contractor.
4. The rates quoted by the contractor will be deemed to be inclusive of any extra expenditure of this reason. The contractor has to increase the manpower or other tools etc. to do the work as per requirement of the work at his own expenses. Nothing shall be paid on this account.
5. The contractor shall provide at his own cost suitable weighing, surveying and leveling and measuring arrangements as may be necessary at site for checking. All such equipments shall be got calibrated in advance from laboratory, approved by the Engineer-in-Charge. Nothing extra shall be payable on this account.
6. Other agencies may also simultaneously execute and install the works and the contractor shall afford necessary facilities for the same. The contractor shall leave such recesses, holes, openings, trenches etc. as may be required for such related works (for which inserts, sleeves, brackets, conduits, base plates, clamps etc. shall be available as specified elsewhere in the contract) and the contractor shall fix the same at the time of casting of concrete, stone work and brick work, if required, and nothing extra shall be payable on this account.
7. All materials shall only be brought at site as per advice and prior approval of the Engineer-in- Charge. Any pre-delivery of the material not required for immediate consumption shall not be accepted and thus not paid for.
8. Water tanks, taps, sanitary, water supply and drainage pipes, fittings and accessories should conform to approved manufacturers specifications where CPWD Specifications are not applicable. The contractor should get the materials (fixtures/fittings) tested from approved labs wherever required at his own cost.
9. The contractor shall be responsible for the watch and ward / guard of the buildings, safety of all fittings and fixtures including sanitary and water supply fittings and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the building is physically handed over to the client department. No extra payment shall be made on this account.
10. The rates quoted by the Contractor are deemed to be inclusive of site clearance,

setting out work, profile, establishment of reference bench mark(s), taking spot levels, construction of all safety and protection devices, barriers, preparatory works, working during monsoon, working at all depths, height, lead, lift and location etc until / unless specified otherwise and any other incidental works required to complete this work. Nothing extra shall be payable on this account.

7.3 Quality and Workmanship

1. The contractor shall be entirely responsible and answerable for all the works done by him regarding quality, adherence to the laid down specifications, terms and conditions, warranty/guarantee etc. and he shall be liable to bear any compensation that may be levied by the department under any of the clauses of the agreement.
2. The materials having ISI mark shall have precedence over the one conforming to IS specifications.
3. The proposed is for Institute premises and quality of work is paramount importance. Contractor shall have to engage well experienced skilled labour and deploy modern T & P and other equipment to execute the work.
4. Samples of all materials and fittings to be used in the work in respect of brand manufacturer and quality shall be approved from the Engineer-in-Charge, well in advance of actual execution and shall be preserved till the completion of the work.
5. All materials used in the work shall be new and of good quality, conforming to the relevant specifications as per good engineering practice. All the materials proposed to be used in the work should be approved from Engineer in Charge before use in work.
6. Articles bearing BIS certifications mark shall only be used unless no manufacturer has got BIS/ISI mark for the particular material. Any material/fitting whose sample has not been approved in advance and any other unapproved material brought by the contractor shall be immediately removed as soon as directed. Where the make of any particular material is not specified in the Contract document, the material shall be supplied as per makes desired by the engineer-in-charge.
7. It will be the responsibility of the contractor / bidder to ensure use of genuine materials in the work. The department reserves the right to get (any / all materials / components) inspected by the manufacturer or their authorized representatives at any stage of the execution of work. If any of the materials,

supplied and used in work is found spurious at any stage, then the department reserves the right to ask the contractor to replace it by genuine one and make suitable recovery till it is done, even if any payment against that material is already made.

8. No material to be brought and used at site without the prior knowledge & approval of Engineer-in-Charge.
9. The department may ask for any valid document like manufacturer's test certificate, document for purchase of the material, document for import/shipment of imported material etc. as deemed fit by the engineer-in-charge to ascertain genuineness of material supplied by/used in the work by the contractor. The contractor shall remain bound to submit all such documents to the department failing which payment may not be made or if already paid may be recovered/ withheld from subsequent running account payment.
10. All equipment and their components, and all the materials to be used in the work shall be suitable for the environmental conditions at the location of the work.
11. The contractor shall ensure quality control measures on different aspects of construction including materials, workmanship and correct construction methodologies to be adopted. He shall have to submit quality assurance programme within two weeks of the award of work. The quality assurance programme should include method statement for various items of work to be executed along with check lists to enforce quality control.
12. The contractor shall get the source of all other materials, not specified elsewhere in the document, approved from the Engineer-in-Charge. The contractor shall stick to the approved source unless it is absolutely unavoidable. Any change shall be done with the prior approval of the Engineer-in-Charge for which tests etc. shall be done by the contractor at his own cost. Similarly, the contractor shall submit brand/ make of various materials not specified in the agreement; to be used for the approval of the Engineer-in-Charge along with samples and once approved, he shall stick to it.
13. The contractor shall arrange carrying out of all tests required under the agreement through the laboratory as approved by the Engineer-in-Charge and shall bear all charges in connection therewith including fee for testing. The said cost of tests shall be borne by the contractor/department in the manner indicated below.
 - a) By the contractor, if the results show that the test does not conform to relevant CPWD Specifications / BIS code or specification mentioned elsewhere in the documents.

- b) By the department, if the results conform to relevant CPWD Specifications / BIS code or specification mentioned elsewhere in the documents.
14. Sample of building materials fittings and other articles required for execution of work shall be got approved from the Engineer-in-Charge. Articles manufactured by companies of repute and approved by the Engineer-in-Charge shall only be used. Articles bearing BIS certification mark shall be used in case the above are not available, the quality of samples brought by the contractor shall be judged by standards laid down in the relevant BIS specifications. All materials and articles brought by the contractor to the site for use shall conform to the samples approved by the Engineer-in-Charge which shall be preserved till the completion of the work.
 15. The contractor shall ensure quality construction in a planned and time bound manner. Any sub-standard material/work beyond set out tolerance limit shall be summarily rejected by the Engineer-in-Charge.
 16. BIS marked materials except otherwise specified shall be subjected to quality test at the discretion of the Engineer-in-Charge besides testing of other materials as per the specifications described for the item/materials. Wherever BIS marked materials are brought to the site of work, the contractor shall if required, by the Engineer-in-Charge furnish manufacturers test certificate or test certificate from approved testing laboratory to establish that the material produced by the contractor for incorporation in the work satisfies the provisions of BIS codes relevant to the material and/or the work done.
 17. All materials brought by the contractor for use in the work shall be got checked from the Engineer-in-Charge or his authorized representative of the work on receipt of the same at site before use.
 18. All the material brought by the contractor for use in the work shall be got checked from the Engineer-in-Charge or his authorized representative of the work on receipt of the same at site before use.
 19. The contractor shall be fully responsible for the safe custody of the materials issued to him even if the materials are in double lock and key system.

7.4 Natural calamity:

No payment will be made to the contractor for any damage caused by rain, snow fall, floods, dampness, fire, sun or any other natural cause whatsoever during the execution of work. The damage to the work due to above reason, if any, shall have to be made good by the contractor at his own cost and no claim on this account shall be entertained.

7.5 Stocking and Disposal of Materials & Debris

1. The contractor shall take instructions from the Engineer-in-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, compound wall, services etc. are to be constructed.
2. After completion of work the agency shall remove materials and debris etc. from site as per the direction of Engineer-in-Charge, at no extra cost.
3. Contractor's job will also include removing of all malba and debris arising in the process of painting including washing of floor to remove stains of paint, at no extra cost.
4. The contractor shall conduct work so as not to interfere with or hinder the progress or completion of the work being performed by other contractor(s) or by the Engineer-in-Charge and shall as far as possible arrange his work and shall place and dispose of the materials being used or removed so as not to interfere with the operations of other contractor or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of others.
5. For construction/renovation works which are likely to generate malba/rubbish to the tune of more than a tempo/truck load, contractor shall dispose of malba, rubbish & other unserviceable materials and wastes at their own cost to the notified/specified dumping ground and under no circumstances these shall be stacked/dumped, even temporarily outside the construction.
6. Dismantled but useful materials/components/equipment, if any, should be returned to the Institute as per the direction of Engineer-in-Charge.

7.6 Painting

1. Contractor will thoroughly clean all paint marks left here and there due to spilling and splashes of paint at no extra cost.
2. Contractor will first submit the shade cards of relevant make of paint to IIT for approval of color before procuring the paint in bulk.
3. No mixing will be allowed with Stainer to achieve a particular color. Contractor will procure direct colour paint of approved shade and apply directly.
4. Contractor shall have to brought at least 50% quantity of total premium acrylic smooth exterior silicon additives paint and water proofing cement paint and shall deposit it in the custody of concerned site Engineer before start of work. The consumption shall be monitored by the Institute. All

empty drums shall have to be kept till completion of the work.

5. Contractor has to make a sample of exterior painting on the surface of wall and after getting approval from the competent authority. The contractor has to finish the rest of work accordingly as per satisfaction of Engineer-in-charge.

7.7 Safety and Security

1. The contractor has to follow all safety norms as laid down in National Building Code of India. All the workers shall be equipped with the required safety gadgets while working at site such as ISI marked helmets, Shoes and safety belts, gumboots, gloves etc.
2. The contractor, the authorized representative(s), workmen etc., shall strictly observe orders pertaining to fire precautions prevailing in the area.
3. The contractor shall be fully responsible for the safe custody of materials brought by him/ issued to him even though the materials may be under double lock key system.
4. Contractor will arrange proper metal ladders, M.S. double scaffolding (for working, painting, etc. at higher levels) at his own cost and will take all safety measures like double harness safety belt, mechanized electrically operated platform etc. If it is observed that work is proceeding without adequate safety precautions, work may be stopped by Engineer-in-charge and in such cases, contractor will be solely responsible for delay and its consequences thereof.
5. The contractor shall be responsible for the watch and ward/guard of the buildings, safety of all fittings and fixtures including sanitary and water supply fittings and fixtures provided by him against pilferage and breakage during the period of installations and thereafter till the building is physically handed over to the department. No extra payment shall be made on this account.
6. The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards day and night speed limit boards red flags, red lights and providing barriers. He shall be responsible for all dangers and incidents caused to existing / new work due to negligence on his part. No hindrances shall be caused to traffic during the execution of the work.
7. It shall be ensured by the contractor that no electric live wire is left exposed or unattended to avoid any accidents in this regard.
8. The Institute shall not have any responsibility or liability in case of any accident injury to the personnel to the contractor at work site or to the general public at the work site due to mishandling equipment by the personnel of the

contractor or any other similar reason. The responsibilities and liabilities for such accidents and incidents shall be borne by the contractor.

7.8 Approach to Site

1. The tenderer shall see the approaches to the site. In case any approach from main road is required at site or existing approach is to be improved and maintained for cartage of materials by the contractor, the same shall be provided, improved and maintained by the contractor at his own cost.
2. Contractor shall take all precautionary measures to avoid any damage to adjoining property. All necessary arrangement shall be made at his own cost.

7.9 Water and Flooding

1. The contractor shall have to arrange water of desirable quality for the construction purpose for which he may have to install water purifier at site or might have to bring/ purchase water from outside as per decision of Engineer-in-charge. Nothing extra shall be paid on this account.
2. For works below ground level the contractor shall keep that area free from water. If dewatering or bailing out of water is required the contractor shall do it and nothing extra shall be paid except otherwise provided in the items of schedule of quantity.
3. In case of flooding of site on account of rain or any other cause and any consequent damage, whatsoever, no claim financially or otherwise shall be entertained notwithstanding any other provisions elsewhere in the contract agreement. Also, the Contractor shall make good, at his own cost, the damages caused, if any.
4. The water charges (for water connection) shall be borne by the contractor.

7.10 Acts and Laws

1. The Contractor shall keep himself fully informed of all acts and laws of the Central & State Governments, all orders, decrees of statutory bodies, tribunals having any jurisdiction or authority, which in any manner may affect those engaged or employed and anything related to carrying out the work. All the rules & regulations and bye-laws laid down by Collector / MC etc. and any other statutory bodies shall be adhered to, by the contractor, during the execution of work.
2. The Contractor shall also adhere to all traffic restrictions notified by the local authorities.

3. All statutory taxes, levies, charges (including water and sewerage charges, charges for temporary service connections and / or any other charges, as applicable) payable to such authorities for carrying out the work, shall be borne by the Contractor.
4. The Contractor shall arrange to give all notices as required by any statutory / regulatory authority and shall pay to such authority all the fees that is required to be paid for the execution of work. He shall protect and indemnify the Institute and its officials & employees against any claim and /or liability arising out of violations of any such laws, ordinances, orders, decrees, by himself/herself or by his/her employees or his/her authorized representatives. Nothing extra shall be payable on these accounts.
5. The fee payable to statutory authorities for obtaining the various permanent service shall be borne by the Institute.

7.11 Labour and Laws

1. The Contractor shall display all permissions, licenses, registration certificates, bar charts, other statements etc. under various labour laws and other regulations applicable to the works, at his site office.
2. Huts for labour are not permitted within the premises of the Institute. No extra cost shall be payable even if the contractor provides such accommodation at a place as is acceptable to the local body.

7.12 Nondisclosure Agreement.

1. The Agency shall take all precautions not to disclose, divulge and/or disseminate to any third party any confidential information, proprietary information on the Institute business or security arrangements (including but not limited to the Assignment instructions, Schedules and other subsequent Arrangements) and/or business of the Institute. The obligation is not limited to any Scope and the Agency shall be held responsible in case of breach of the confidentiality of Institute's information.
2. If the Agency receives enquiries from Press/Media/Radio/Television or other bodies / persons, the same shall be referred by the Agency to Institute immediately on receipt of such queries.

7.13 Indemnification:

1. The agency shall be directly responsible to indemnify the Institute against all charges, dues, claims, etc. arising out of the disputes relating to the dues and employment of the personnel deployed and further for any claim/compensation against all damages and accidents caused due to

negligence on the part of the agents, employees and other personnel of the agency.

2. That the contractor shall keep the IITK indemnified against all claims whatsoever in respect of the employees deployed by the contractor. In case any employee of the contractor so deployed enters in dispute of any nature whatsoever, it will be the primarily responsibility of the contractor to contest the same. In case IITK is made party and is supposed to contest the case, IITK will be reimbursed for the actual expenses incurred towards Counsel Fee and other expenses which shall be paid in advance by the Contractor to IITK on demand. Further, the contractor shall ensure that no financial or Any other liability comes on IITK in this respect of any nature whatsoever and shall keep IITK indemnified in this respect.

7.14 Force Majeure:

If at any time, during the continuance of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosion, epidemics quarantine restriction, strikes, lockouts or acts of god (hereinafter referred to as events) provided notice of happenings of any such event, is served by party seeking concession to the other as soon as practicable, but within 21 days from the date of occurrence and termination thereof. Provided the Party satisfies Institute adequately of the measures taken by it. Neither party shall, by reason of such event, be entitled to terminate this contract, nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance. Further, the services under the contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist and the decision of Institute as to whether the services have to resume or not shall be final and conclusive, provided further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, Institute may at his option, terminate the contract.

7.15 Dispute resolution

1. The institute reserves the right to amend rules whenever and wherever considered necessary and appropriate. The same shall be intimated to the agency in due course.
2. Any dispute arising out of and in relation to this agreement shall be referred to the arbitration by sole arbitrator to be appointed by Director of the Institute. The arbitration would be conducted and governed by and

under the provisions of Arbitration Act, 1996 and its amendments. Any legal dispute will be subject to jurisdiction of Kanpur Courts only and no other court shall have the jurisdiction.

3. Any dispute arising out of and in relation to this agreement shall be referred to the arbitration by sole arbitrator to be appointed by Director of the Institute. The arbitration would be conducted and governed by and under the provisions of Arbitration Act, 1996. Any legal dispute will be subject to jurisdiction of Kanpur Courts only and no other court shall have the jurisdiction.

7.16 Arbitration

1. Except as otherwise provided anywhere in this Agreement, if any dispute, difference, the question of disagreement or matter, whatsoever, arises between the parties, as to the meaning, operation or effect of the Agreement or out of or relating to the Agreement or breach thereof, the same shall be referred to a Sole Arbitrator, to be appointment by the Director of the Institute at the time of the dispute.
2. If the Arbitrator, to whom the matter is originally referred, dies or refuses to act or resigns for any reasons from the position of arbitration, it shall be lawful for the Director of the Institute to appoint another person to act as Arbitrator in the manner aforesaid. Such person shall be entitled to proceed with the reference from the stage at which it was left by its predecessor, provided both the parties consent to this effect, failing which, the arbitrator shall be entitled to proceed on the matter de- novo.
3. It is a term of the Agreement that the party invoking the arbitration shall specify all disputes to be referred to arbitration at the time of invocation of arbitration under the clause.
4. It is a term of the contract that the cost of arbitration shall be borne by the parties themselves.
5. The place of the arbitration shall be Kanpur Nagar, Uttar Pradesh, India.
6. Subject as aforesaid, the provisions of the Arbitration and Conciliation Act, 1996 and any statutory modifications, amendments or re-enactment thereof and rules made the reunder and for the time being in force, shall apply to the arbitration proceeding under this clause.
7. Except as otherwise provided anywhere in this Agreement, the Arbitration proceedings shall be conducted in English and the Agreement shall be constructed, interpreted and governed by the law of India, for the

time being in force.

7.17 Jurisdiction of Courts

The court(s) at Kanpur Nagar, Uttar Pradesh, shall have the exclusive jurisdiction to try any asall the disputes(s) between the parties arising out this Agreement.

8.0 Scope of work

The Institute desires to renovate/Construct and do other associated works in the institute. This project aims to complete such renovation works on a timely basis.

8.1 Brief of the works

The work included in this contract will be as follows:

1. Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building

Sub Heads:

- Dismantling and cleaning of concrete runner portion of walls.
- Dismantling of damaged floor tiles and disposal of waste materials.
- Grinding and polishing of existing granite and kota stone floor in corridor and lobby.
- Making AAC block masonry walls for all balcony outer wall, AHU walls and electric panel room wall with RCC band and required mullions.
- Making internal partition walls with MS tube supporting structure and double layer insulated gypsum board as dry partition.
- Providing and fixing wooden skirting on soft partitions.
- Providing and fixing laminated flush doors in partition walls.
- Aluminium glass partition with glass door for big halls
- Aluminium glass windows with glass door for balconies with MS tube structure supports.
- Providing and fixing frosted film on glass partitions.
- Providing and laying vitrified floor tiles with cement based tile adhesive in rooms and halls (tile size 800X800 mm)
- Providing and fixing granite stone door sills, window sills and glass partition

sills.

- False ceiling with calcium silicate / gypsum board with making box offset for air conditioning duct in rooms and in halls.
- False ceiling with metal grid and tiles in lobby and in corridor.
- Making required trap doors in false ceiling with 4 mm thick ACP sheet.
- Plaster on AAC block masonry.
- Providing and applying putty on walls.
- Acrylic emulsion paint on walls with priming coat.
- Repairing of damaged pockets of water proofing with water proofing materials and tile fixing on terrace.
- Closing of core cut holes in RCC slab at floor level.
- Replacement of some toilet fittings and fixtures.
- Repairing and replacement of some window fittings in outer walls.
- Providing and fixing MS pipes of different diameter, Sprinkler pendant Sprinkler upright and Flexible Pipe for Fire Fighting Sprinkler on ceiling for firefighting network.

But this work is indicative. The contractor should be able to execute work within the deviation limit of the contract value on same terms and conditions of the contract.

Note: The scope of the works listed above is indicative only. For the details of the works, please refer to the BoQ and the work has to be done strictly as per the specifications in the BoQ.

8.2 Materials Verification

The contractor shall inform the Engineer in charge in advance, for verifying the measurement of the concealed items if any like reinforcement bars, pipes laying etc., done by the contractor on the very day of the above said events.

9.0 Special Conditions of Contract

1. The work is to be carried out on the 5th floor (Level 6). All leads, lifts shall be inclusive in the quoted rates. Nothing extra shall be payable on this account.
2. Only one staircase of the building shall be allowed to use by the contractor for the movement of workers, material etc.

3. Lifts of the building shall not be allowed to use by contractor /worker.
4. Necessary barricading/partition shall be made on each floor by the contractor to isolate the staircase assigned to be used for construction from rest of the building. Nothing extra shall be payable for barricading/partition.
5. Since, the work is to be carried out on the top floor of an occupied building, all required measures must be taken for protection of floors below from noise & dust to the extent possible as per the direction of Engineer In-charge. Nothing extra shall be paid on this account.

List of Preferred Makes for Civil Works (as applicable)

Preferred makes of materials to be used in the work are as under. In case of non-availability of these makes, the Engineer-in-charge may allow use of alternative BIS makes of materials in the work. Non-BIS marked materials may be permitted by the Engineer-in-charge. This is a general list of makes. All makes applicable as per Schedule of Quantities must be as per the Institute preferred make.

Sl. No.	Material description	Manufacturer / Brand Name
1.	Ready Mix Concrete	Ultratech Concrete, ACC Ready Mix and RMC India
2.	Cement (PPC/OPC)	ACC, Ultratech, Vikram, Shree Cement, Abuja, JK Cement, Century Cement, Jaypee Cement & Prism Cement.
3.	White Cement	Birla White, J.K. White
4.	Reinforcement Steel	SAIL, Tata Steel Ltd, RINL, Jindal Steel & Power Ltd. and JSW Steel Ltd
5.	Waterproofing compounds, admixtures, plasticizer, super plasticizer, curing compounds	Fosroc, ROFF/Dr. Fixit (Pidilite Industries), STP Ltd., Sika, BASF, Ardex Endura & Parma Construction Aids Pvt. Ltd.
6.	Integral water proofing compound with cement (for plaster & mortar)	Fosroc: Conplast 421, Dr. Fixit : LW+, Sika: Sikacim, Asian Paint: SmartCare Vitalia & equivalent product of BASF, STP Ltd., Ardex Endura, Perma Construction Aids Pvt. Ltd.
7.	Water proofing compound for bathroom/ toilet /balcony & other wet area	Fosroc: Bush Bond, STP Ltd.: Shalcrete, CICO: Tapecrete, Dr. Fixit : Pidifine 2K, Sika : Topseal 107, Asian Paints: Damp Block 2K & equivalent
8.	Crystalline water proofing compound	Product of BASF, Ardex Endura, Perma Construction Aids Pvt. Ltd. Fosroc: Bushbond TGP, Dr. Fixit : Dr. Fixit Krystalline, Sika: Sika 101h, Asian Paints: SmartCare & equivalent product of BASF, Ar- dex Endura, STP Ltd., Perma Construction Aids Pvt.
9.	Grouts, Tile Adhesive	Laticrete, STP Ltd., Kajaria, BASF, Perma, Ardex Endura, JK White & Ferrous Crete.
10.	Structural steel	SAIL, Tata Steel, Rashtriya Ispat Nigam Ltd. (RINL), JSW Steel Ltd., Jindal Steel & Power Ltd.
11.	Polycarbonate sheet	GE Plastic, LEXAN & MG Polyplast
12.	Profile steel sheet	Ezydeck of TATA, Lloyd Superdeck, JSW, Jindal
13.	Particle board	Action TESA, Merino, Archidply & Orion Doors

14.	Laminates	Action TESA, Greenlam, Century Ply, Merino, Archidply, Virgo & Orion doors
15.	Flush door shutters	Duro, Century, Durian, Archidply, Green Ply, JAYNA (Jain Wood Industries), Jain Doors Pvt. Ltd., GREENPANEL & Orion Doors Note: Only ISI marked flush door shutters to be used.
16.	Fire rated doors	Signum fire protection, Shakti Metdoor, NAVAIR, Promat, Thrislington, Sukri & Bhawani. If fire rated glass is integral part of fire rated door than it should be of one of the following makes: Pyroguard, Saint Gobain, Asahi India, Pilkington & Schott
17.	False ceiling system	Armstrong, USG Boral, Saint Gobain, Aerolite, Interarch, Hi- steel of PR Ceiling Products
18.	Plywood / Veneer	Greenply, Century, Merino, Durian, Archidply, GREENPANEL & Orion Doors.
19.	Melamine polish	Asian Paints melamine gold, Wudfin of Pidilite & Timbertone of ICI dulux.
20.	Floor spring & door closer	Godrej, Dormakaba, Dorset & Kich
21.	Aluminum section	Hindalco, Jindal & Indian Aluminium Co.
22.	Anodized aluminum hardware (Heavy Duty)	Kilon, Alualpha, Classic & Ebco.
23.	Clear/ Float/Frosted/Toughen Glass/ Refractive glass	Saint Gobain, AIS & Modiguard
24.	Stainless steel railing, Accessories etc.	JINDAL, Dormakaba, Kich, GEZE, Godrej & Hardwyn
25.	SS fittings for doors & window	Jindal, Dormakaba, Kich, Dorset, Godrej, Ozone & Define
26.	Silicon based water re- pellant / weather sealant	GE Plastics, STP Ltd., Dow Corning, Waker, BASF & Pidi lite (Dr. Fixit/ Roff
27.	Poly-Sulphide Sealant	Fosroc, STP Ltd., Pidilite (Dr. Fixit/Roff), Sika & BASF
28.	Mosaic tiles/Chequered Tiles	Ultra Tiles, NITCO, Hyper, Mayur & Pavcon,
29.	Glazed Ceramic Tiles	Kajaria, NITCO, Orient Bell, Johnson, Somany, RAK & Varmora
30.	Vitrified Tiles (Antiskid /Matt /Glazed)	Kajaria, NITCO, Orient Bell, Johnson, Somany, RAK, Varmora & Restile
31.	Paver block & Kerbstone	Pavcon, Hyper, Mayur, KK, Power, Sharda & Navya
32.	Cement Based wallputty	Asian Paints, Birla Wall Care, JK, White & Berger

33.	Oil bound washable distemper / dry distemper	Asian Paints (Professional Acrylic Distemper), Nerolac: Beauty Acrylic Distemper, Berger: Bison Acrylic Distemper & Dulux ICI: Maxilite
34.	1st quality acrylic distemper (washable/ready mix / Low VOC)	Asian Paints (Tractor Aqua Lock Paint), Berger: Commando or equivalent paints of Nerolac & ICI-Dulux
35.	Acrylic emulsion paints	Asian Paints: (Professional Premium Interior, Emulsion Paint), Nerolac: Beauty Gold, Berger: Rangoli Total Care & ICI Dulux: Super Cover, Indigo
36.	Plastic emulsion paint	Asian Paints: (Apolite Heavy Duty Premium Emulsion Paint), Nerolac: Impression, Berger: Easy Clean & ICI Dulux: 3 in 1
37.	Premium acrylic emulsion paints (Interior)	Asian Paints: (Royale Luxury Emulsion), Nerolac: Impression, Berger: Silk & ICI Dulux: Velvet Touch, Indigo
38.	Textured exterior paint	Asian Paints, Nerolac, Berger Paints, Ultratech Paints & Luxture
39.	Acrylic smooth exterior paint	Asian Paints: (Apex/Professional Premium Exterior Emulsion), Nerolac: XL, Berger: Weather Coat & ICI Dulux: Weather Shield, Indigo
40.	Premium acrylic smooth exterior paint with silicon additive	Asian Paints: Apex Ultima, Nerolac: XL total, Berger: Weather Coat all Guard & ICI Dulux : Weather Shield Max
41.	Synthetic Enamel Paint	Asian Paints: Apcolite Premium Gloss Enamel, Nerolac: Synthetic Hi gloss, Berger: Luxol Hi gloss & ICI Dulux: Gloss Synthetic enamel.
42.	Cement Primer	Nerolac, Berger (BP white), STP Ltd., Asian (Decoprime WT) & ICI (White primer).
43.	Steel primer (Red Oxide Zinc Chromate Primer)	Asian Paints, Nerolac, Berger & ICI
44.	Wood primer	Asian Paints (wood primer - White/Pink), Burger, ICI & Nerolac
45.	Epoxy paint	Asian Paints, STP Ltd., Nerolac, Berger, ICI, Kansai, & Akzo Nobel
46.	Fire paint	Asian paint, STP Ltd., Akzo Nobel, PROMAT, & JOTUN
47.	GI/MS Pipe	Tata, Jindal (Hisar) & Prakash Surya
48.	GI Fittings	Unik, AVR & Zoloto
49.	HDPE Pipes	Reliance, Jain Pipes, ORIPLAST & Supreme
50.	DI Pipes & fittings	Electrosteel, Jindal, TATA DUCTURA, Kapil Ansh & Kesoram
51.	UPVC pipe and fittings	Astral, Supreme, Prince, M/s Skipper Ltd, Ashirwad & Prayag Polymers Pvt. Ltd

52.	SW Pipes (BIS approved)	Anand, Parry & Perfect
53.	Centrifugally Cast (Spun) Iron Pipes & Fittings /Hub less pipes& fittings	NECO, BIC,Kapilansh, SKF, Raj Pattern Makers & Founders Pvt. Ltd. or any other ISI marked make
54.	CI Manhole covers,frames & GI Gratings	NECO, BIC, SKF & Kapilansh,
55.	SFRC Manhole covers & gratings	K K Jain & Pragati
56.	CP brass fittings (Superior range)	Jaquar, Grohe & Roka.
57.	CP brass fittings (Nor- mal Range)	ESSCO (by Jaquar), Parryware, CERA, Kerovit (Kajaria), Johnson & Prayag Polymers Pvt. Ltd.
58.	Sanitary ware, fittings & accessories	Kerovit (Kajaria), CERA, Jaquar, Parryware, Hindware & Prayag Polymers Pvt. Ltd.
59.	Mirror glass	Atul, Modi Guard & Golden Fish
60.	CPVC Pipe & fitting	Astral, Superme, Prince, M/s Skipper Ltd., Ashirwad & Prayag Polymers Pvt. Ltd.
61.	Stainless steel sink	Neelkanth, Niralli, Jyna & Prayag Polymers Pvt. Ltd.
62.	FRP doors shutters & frame	Jayna, Fiberways, Jain Doors Pvt. Ltd. & Selected Product Co,
63.	Extruded polystyrene insulation board	Dowcorning, Supreme, Texas & Analco
64.	Gypsum plaster	Ferrous Crete, Gyproc Saint Gobain, Ultra Tech & J K White
65.	Floor hardener	Ironite, Perma, STP Ltd., Ferrok & Hardonate
66.	Modular Expansion Joint	Herculus, Sanfield India Ltd & Vexcolt
67.	Glass Wool	Dow Corning, UP Twiga & Isover
68.	uPVC door/window/ventilator	Fenesta, Komerling, Rheau, Veka, Duroplast, Aluplast & Advika Profiles Pvt. Ltd. (Fabrication and installation will be done by profile
69.	uPVC doors and win-dow hardware	Manufacturer or his authorized fabricator). Roto, Dorset, DNV Accado & Kinlong
70.	AAC block Adhesive	UltraTech, Perma, Ardex Endura & Ferrous Crete
71.	PVC Water Tank	Syntex & Vectus
72.	AAC Block	MAX Blocks, UltraTech, HIL & BILTECH ACE & Gravit
73.	Modular Kitchen	Everyday/Hettich/Steel Art Brand Baskets of AISI 304(18/8); Hettich/Hafele Brand Auto closing, Concealed Hinges; DMS/ Dynasty/ Indoline brand shutter

74.	Aluminum shuttering	Knest, S-form, Durand Forms (India) Pvt. Ltd. & Mivan
75.	MS Tubular windows & Pressed Steel door frames	Jangid Engineering Works, AGFUV, Sen Harvic, Navair Delhi & Sukriti Delhi
76.	Dash fasteners / Anchors	Hilti, Bosch & Fischer

10.0 Testing Charges




Figure 1: Modified provisions in CPWD works manual 2019 regarding testing charges to be borne by contractor.

Original Estimate					
N/W	Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building.				
SLNo	Description	Qty	Unit	Rate	Amount
1	CEMENT CONCRETE (CAST IN SITU)				
1.1	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:				
1.1.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	18.5	cum	10357.55	191615.00
1.2	Centering and shuttering including strutting, propping etc. and removal of form work for:				
1.2.1	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.	138	sqm	842.50	116265.00
	Sub-Total				307880.00
2	REINFORCED CEMENT CONCRETE				
2.1	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	4	cum	11505.50	46022.00
2.2	Centering and shuttering including strutting, propping etc. and removal of form for				
2.2.1	Lintels, beams, plinth beams, girders, bressumers and cantilevers	25	sqm	736.40	18410.00
2.2.2	Columns, Pillars, Piers, Abutments, Posts and Struts	8	sqm	961.30	7690.00
2.3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
2.3.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.	471	kg	107.85	50797.00
2.4	Extra for R.C.C./ B.M.C/ R.M.C. work above floor V level for each four floors or part thereof.	22.5	cum	355.65	8002.00
	Sub-Total				130921.00
3	MASONRY WORK				
3.1	Extra for brick work / AAC block masonry / Tile brick masonry in superstructure above floor V level, for each four floors or part thereof by mechanical means.	51.5	cum	169.45	8727.00

3.2	Providing and laying Autoclaved Aerated concrete(AAC) blocks masonry with 150 mm to 300 mm thick with Grade-1 AAC blocks of density 551 to 650 kg/cum conforming to IS:2185 (Part 3) in super structure above plinth level up to floor V level with RCC band at sill level and lintel level with approved block laying polymer modified adhesive mortar all complete as per direction of Engineer-in-Charge. (The payment of RCC band and reinforcement shall be made for seperately).	51.5	cum	8333.65	429183.00
	Sub-Total				437910.00
4	CLADDING WORK				
4.1	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.				
4.1.1	Granite stone slab of colour black, Cherry/Ruby red				
4.1.1.1	Area of slab over 0.50 sqm	50	sqm	5136.30	256815.00
4.2	Mirror polishing on marble work/Granite work/stone work where ever required to give high gloss finish complete.	766	sqm	506.70	388132.00
4.3	Providing and fixing machine cut, mirror/ eggshell polished, Marble stone work for wall lining (veneer work) including dado, skirting, risers of steps etc., in required design and pattern wherever required, stones of diferent finished surface texture, on 12 mm (average) thick cement mortar 1:3 (1 cement : 3 coarse sand) laid and jointed with white cement slurry @ 3.3 kg/swirl including pointing with white cement slurry admixed with pigment of matching shade, including rubbing, curing, polishing etc. all complete as per Architectural drawings, and as directed by the Engineer-in-Charge.				
4.3.1	18 mm thick Italian Marble stone slab,Perlato, Rosso verona, Fire Red or Dark Emperadore etc.	14	sqm	10414.80	145807.00
4.4	Providing and fixing 2nd class teak wood plain lining tongued and grooved, including wooden plugs complete with necessary screws and priming coat on unexposed surface.				
4.4.1	12 mm thick	47	sqm	2423.25	113893.00
	Sub-Total				904647.00
5	WOOD AND P. V. C. WORK				
5.1	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
5.1.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	36	sqm	2392.65	86135.00

5.2	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	36	sqm	462.35	16645.00
5.3	Extra for providing vision panel not exceeding 0.1 sqm in all type of flush doors (cost of glass excluded) (overall area of door shutter to be measured):				
5.3.1	Rectangular or square	34	sqm	199.15	6771.00
5.4	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	19	sqm	106.70	2027.00
5.5	Providing and fixing bright finished brass door latch with necessary screws etc. complete :				
5.5.1	300x16x5 mm	5	each	322.20	1611.00
5.6	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	17	each	1124.85	19122.00
5.7	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with zinc coating of 120 gms/sqm(both side inclusive), consisting of floor and ceiling channel 50 mm wide having equal flanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and 0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610 mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mm centre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99 mm width (0.9 mm thick having two flanges of 9.5 mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete.				
5.7.1	66 mm overall thickness Partition with 8 mm thick double skin Calcium Silicate Board made with Calcareous & Siliceous materials reinforced with cellulose fiber manufactured through autoclaving process with Compressive Strength 225 kg/sq.cm, Bending Strength 100 kg./ sq.cm	100	sqm	2225.00	222500.00

5.8	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.				
5.8.1	1.0 mm thick	55	sqm	897.30	49352.00
5.9	Providing and fixing frame work for partitions/ wall lining etc. made of 50x50x1.6 mm hollow MS tube, placed along the walls, ceiling and floor in a grid pattern with spacing @ 60 cm centre to centre both ways (vertically & horizontally) or at required spacing near opening, with necessary welding at junctions and fixing the frame to wall/ ceiling/ floors with steel dash fasteners of 8 mm dia, 75 mm long bolt, including making provision for opening for doors, windows, electrical conduits, switch boards etc., including providing with two coats of approved steel primer etc. complete, all as per direction of Engineer-in-charge.	4160	kg	166.80	693888.00
	Sub-Total				1098051.00
6	STEEL WORK				
6.1	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
6.1.1	Hot finished welded type tubes	1937	kg	194.40	376553.00
6.2	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
6.2.1	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	48	kg	172.60	8285.00
6.3	Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm ²), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame , concrete/ masonry, etc. as per direction of Engineer-in-charge.				
6.3.1	10 x 80 mm	575	each	137.65	79149.00
6.3.2	10 x 160 mm	815	each	224.50	182968.00
	Sub-Total				646955.00
7	FLOORING				
7.1	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement :4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	130	sqm	1096.55	142552.00

7.2	Providing and laying Vitrified tiles in diferent sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.				
7.2.1	Size of Tile 800x800 mm	80	sqm	1958.45	156676.00
7.3	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling / grouting and finishing complete as per direction of Engineer-in-charge.				
7.3.1	Size of Tile 600x600 mm	203	sqm	309.05	62737.00
7.4	Providing and laying Vitrified tiles in floor with diferent sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).				
7.4.1	Size of Tile 800x800 mm	2350	sqm	2060.75	4842763.00
7.5	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
7.5.1	Polished Granite stone slab of colour Black, Cherry/Ruby Red or equivalent	81	sqm	4481.30	362985.00
	Sub-Total				5567713.00
8	ROOFING				
8.1	Providing and fixing plain multipurpose cement board(Hight pressure steam cured) with suitable screws for cement particle board in ceiling etc. complete (frame work to be paid seperately).				
8.1.1	6 mm thick Cement fiber board, Type-B, Category-III as per IS: 14862 :2000	4	sqm	921.95	3688.00

8.2	<p>Providing and fixing false ceiling at all heights including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, difusers,</p>				
8.2.1	12.5 mm thick tapered edge gypsum moisture resistant board	460	sqm	1529.10	703386.00

8.3	<p>Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanising @ 120 grams per sqm including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle pre-coated steel of size(24x24X3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calicum silicate ceiling tiles of approved texture in the grid, including, cutting/ making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using al. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T'. Bottom exposed with 24 mm of all T-sections shall be pre-painted with polyster baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-</p>	2890	sqm	2158.15	6237054.00
8.4	<p>Providing and fixing GI Clip in Metal Ceiling System of 600x600 mm module which includes providing and fixing 'C wall angle of size 20x30x20 mm made of 0.5 mm thick pre painted steel along the perimeter of the room with help of nylon sleeves and wooden screws at 300 mm center to centre, suspending the main C carrier of size 10x38x10 mm made of G.I steel 0.7 mm thick from the sofit with the help of sofit cleat 37x27x25x1.6 mm, rawl plugs of size 38x12 mm and C carrier suspension clip and main carrier bracket at 1000 mm c/c. Inverted triangle shaped Spring Tee having height of 24 mm and width of 34 mm made of GI steel 0.45 mm thick is then fixed to the main C carrier and in direction perpendicular to it at 600 mm centers with the help of suspension brackets. Wherever the main C carrier and spring T have to join, C carrier and spring T connectors have to be used. All sections to be galvanized @ 120 gms/sqm (both side inclusive), fixing with clip in tiles into spring T with :</p>				

8.4.1	GI Metal Ceiling Clip in plain Beveled edge global white color tiles of size 600x600 and 0.5 mm thick with 25 mm height, made of G I sheet having galvanizing of 100 gms/ sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation.	430	sqm	2354.65	1012500.00
8.5	Providing and fixing thermal insulation with Resin Bonded Fibre glass wool conforming to IS: 8183 having density 24 kg/m ³ , 50 mm thick, wrapped in 200G Virgin Polythene Bags fixed to wall with screw, rawel plug & washers and held in position by criss crossing GI wire etc. complete as per directions of Engineer-in-Charge.	755	sqm	358.50	270668.00
8.6	Providing & fixing false ceiling at all height including providing & fixing of framework made of special section, power pressed from M.S. sheets and galvanised with zinc coating of 120 gms/ sqm (both side inclusive) as per IS : 277 and consisting of angle cleat of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm c/c, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25 x10 x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I channels 45 x15 x 0.90 mm running at the spacing of 1200 mm c/c, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5mm, at 450 mm c/c, shall be fixed in a direction perpendicular to G.I intermediate channel with connecting clip made out of 2.64 mm dia x 230 mm long G.I wire at every junction, including fixing perimeter channels 0.50 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/ partitions with the help of Rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of Calcium Silicate Board to ceiling section and perimeter channels with the help of dry wall screws of size 3.5 x25 mm at 230 mm c/c, including jointing & finishing to a flush finish of tapered and square edges of the board with recommended jointing compounds, jointing tapes,finishing with jointing compounds in three layers covering up to 150 mm on both sides of joints and two coats of primer suitable for boards, all as per manufacture's specification and also including the cost of making opening for light fittings, grills, difusers, cut outs made				
8.6.1	8 mm thick Calcium Silicate Board made with Calcareous & Siliceous materials reinforced with cellulose fiber manufactured through autoclaving process.	200	sqm	1572.30	314460.00
8.7	Providing and fixing thermal insulation of ceiling (under deck insulation) with Resin Bonded Rockwool conforming to IS: 8183,density 48 kg/ m ³ , 50 mm thick, wrapped in 200 G Virgin Polythene bags fixed to ceiling with metallic cleats (50x50x3 mm) @ 60 cm and wire mesh of 12.5 mm x 24 gauge wire mesh, for top most ceiling of building.	2890	sqm	667.05	1927775.00

	Sub-Total				10469531.00
9	FINISHING				
9.1	12 mm cement plaster of mix:				
9.1.1	1:6 (1 cement: 6 coarse sand)	210	sqm	343.65	72167.00
9.2	15 mm cement plaster on rough side of single or half brick wall of mix:				
9.2.1	1:6(1 cement: 6 coarse sand)	210	sqm	395.35	83024.00
9.3	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
9.3.1	Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	47	sqm	226.25	10634.00
9.4	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	5870	sqm	156.05	916014.00
9.5	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.				
9.5.1	Two coats	5860	sqm	142.80	836808.00
9.6	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.				
9.6.1	With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	5860	sqm	73.95	433347.00
	Sub-Total				2351994.00
10	REPAIRS TO BUILDING				
10.1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.				
10.1.1	With cement mortar 1:4 (1cement: 4 coarse sand)	50	sqm	560.50	28025.00
	Sub-Total				28025.00
11	Dismantling and Demolishing				
11.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
11.1.1	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	10	cum	2434.25	24343.00
11.2	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in - charge.	2	cum	3551.25	7103.00
11.3	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer-in-charge.	5	sqm	1147.20	5736.00

11.4	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead :				
11.4.1	Of area beyond 3 sq. metres	5	each	188.90	945.00
11.5	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
11.5.1	For thickness of tiles 10 mm to 25 mm	2406	sqm	73.40	176600.00
11.6	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	132	cum	263.95	34841.00
	Sub-Total				249568.00
12	ROAD WORK				
12.1	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50 m x2.00 m made of 40x40x6 mm angle iron or 50x50x3 mm hollow MS tube posts/horizontal members/bracings covered with 1.63 mm thick MS sheet. The sheet shall be fixed with 30x5 mm MS flat by suitable welding/riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5 m. MS channel ISLC 75 @ 5.70 kg/m, 50 cm long shall be provided at the bottom having oval shaped holes of size 50x25 mm at both ends with 50 cm long MS angle 40x40x6 mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250 mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously including shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading shall not be removed without prior approval of Engineer-in-Charge. (Note :- One time payment shall be made for providing barricading from start of work till completion of work including shifting. The barricading provided shall remain to be the property of the contractor on completion of the work).	55	metre	3439.50	189173.00
	Sub-Total				189173.00
13	ALUMINIUM WORK				

13.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
13.1.1	For fixed portion				
13.1.1.	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	2300	kg	495.05	1138615.00
13.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
13.1.2.	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	1005	kg	598.60	601593.00
13.2	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer- in-charge.				
13.2.1	With stainless steel cover plate minimum 1.25 mm thickness	52	each	2823.85	146840.00
13.3	Extra for applying additional anodic coating AC 25 instead of AC 15 to aluminium extruded sections.				
13.3.1	For fixed portion	2625	kg	12.80	33600.00
13.3.2	For shutters of doors, windows & ventilators	1005	kg	12.80	12864.00
13.4	Providing and fixing double glazed hermetically sealed glazing in aluminium windows, ventilators and partition etc. with 6 mm thick clear float glass both side, having 12 mm air gap, including providing EPDM gasket, perforated aluminium spacers, desiccants, sealant (Both primary and secondary sealant) etc. as per specifications, drawings and direction of Engineer-in-charge complete.	109	sqm	4997.70	544749.00
13.5	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete.				
13.5.1	355 X 19 mm	158	each	325.80	51476.00

13.6	Providing and fixing anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868. Minimum anodic coating of grade AC 15) sub frame work for windows and ventilators with extruded built up standard tubular sections of approved make conforming to IS: 733 and IS: 1285, fixed with dash fastener of required dia and size (Dash fastener to be paid for separately).	325	kg	402.80	130910.00
13.7	Providing and fixing aluminium casement windows fastener of required length for aluminium windows with necessary screws etc. complete.				
13.7.1	Anodized (AC 15) aluminium	77	each	89.40	6884.00
13.8	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc. to be paid separately).	105	sqm	5325.90	559220.00
	Sub-Total				3226751.00
14	WATER PROOFING				
14.1	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations: (a) Applying a slurry coat of neat cement using 2.75 kg/sqm of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls upto 300 mm height including cleaning the surface before treatment. (b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (c) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge. (d) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. "All above operations to be done in				
14.1.1	With average thickness of 120 mm and minimum thickness at khurra as 65 mm.	65	sqm	1684.60	109499.00
	Sub-Total				109499.00

15	NEW TECHNOLOGIES AND MATERIALS				
15.1	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer- In-charge complete in all respect.				
15.1.1	SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer	155	sqm	141.20	21886.00
15.2	Providing, erecting, maintaining and removing temporary protective screens made out of specified fabric with all necessary fixing arrangement to ensure that it remains in position for the work duration as required by the Engineer-in-charge.				
15.2.1	Wooven PVC cloth	360	sqm	54.25	19530.00
	Sub-Total				41416.00
16	MINOR CIVIL MAINTENANCE WORK				
16.1	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): 8 mm thick toughened glass	220	Sqm	3646.11	802144.00
16.2	Providing & Fixing D-shaped Pull Handle with back to back fixing with adjustable fixing for glass, wood and metal doors in satin stainless steel of approved Make: HAFELE pull handle - product code: 903.11.470 or dormakaba pull Handle TGDHI-D 300 or other equivalent make with accessories complete as per direction of Engineer-in-Charge.	41	Each	2199.64	90185.00
16.3	"Providing and fixing stainless steel tower bolts with necessary screws etc. complete (HAFELE product code 911.81.082 for 250 mm and product code 911.81.081 for 200 mm, or equivalent make of GEZE, DORMA or any other make as approved by Engineer in charge). 200x10 mm"	54	Each	925.30	49966.00
16.4	"Providing and fixing stainless steel tower bolts with necessary screws etc. complete (HAFELE product code 911.81.082 for 250 mm and product code 911.81.081 for 200 mm, or equivalent make of GEZE, DORMA or any other make as approved by Engineer in charge). 250x10 mm"	31	Each	1030.22	31937.00

16.5	Providing and fixing Lock-Door Latch of HAFELE Consisting of: a) 19mm dia Lever handle sprung loaded on with 8mm rose Supplied with bolt through fixing. Suitable for 40 to 50mm door thickness Grub screw fixing onto 8mm x 100mm spindle longer spindle available for thicker door. Material: Stainless Steel 304 Finish: Satin Size: 130mm x 60mm projection from door surface. ESCUTCHEON INCLUDED b) 55mm Backset Sash lock with strike plate. Forend: Stainless Steel 304 Finish : Satin .c) 5 pin Euro profile knob cylinder with 3 keys, 60mm length Product Code HAFELE-(911.02.783+916.96.306+903.92.586) or Lock-Door Latch of DORMA Pure 8100 type 2 package with pair of 8100 design lever handle on rose. including Lock 271 with Strike Plate, 55 mm backset 20 mm square forend including strike plate with 60mm Euro Profile Cylinder one side key & other side knob or equivalent make with necessary screws etc. complete as per directions of Engineer in charge	17	Each	5586.30	94967.00
16.6	Providing and fixing Stainless steel hanging floor door stopper of HAFELE make, code 938.66.000 with necessary screws, etc. complete or equivalent make of (Dorma,GEZE or any other make as approved by Engineer in charge).	19	Each	363.41	6905.00
16.7	Providing and fixing Wall mounted Door rubber buffer HAFELE make (product code 937.31.107) with necessary screws, etc. complete or any other equivalent make as approved by Engineer in charge.	30	Each	74.51	2235.00
16.8	Providing and fixing Health faucet with tube and wall hook including all fittings to European type W.C. of quality and make as approved by Engineer - in - charge. (Jaquar Model- ALD 573-Chrome finish) or of KOHLER (Cat. No. K- 12925IN-CP) or GROHE or of equivalent make as approved by Engineer in charge.	15	Each	1717.86	25768.00

16.9	Providing and fixing White vitreous china wash basin with , CP brass pillar tap as required, 32 mm C.P. brass waste.32 mm C.P. brass bottle trap & pipe to wall with rubber adopter for waste connection and C.P. brass wall flange complete in all respects including cutting and making good the walls where required: (Jaquar white wash basin Model-KUS-WHT-35601, 32 mm CP brass waste Cat. No. ALD-705L130, Pillar Cock cat no-KUB-35001F 32 mm C.P. brass bottle trap with pipe to wall and C.P. wall flange Model-ALD769L300x190 chrome Finish or KOHLER Self-rimming basin with single hole in white Model-K-2241IN-1-0 C.P. brass bottle trap with pipe to wall and C.P. wall flange 300mm in polished chrome Model- K- 7314IN-CP, Pillar Cock in polished chrome cat no- K 74028IN-4-CP or GROHE or of equivalent make as approved by Engineer in charge.)	2	Each	14467.93	28936.00
16.1	Providing and fixing Vitreous china flat back urinal basin Jaquar Model URS WHT-13255,sensotronic CENSOR flush valves Cat No.CNR-CHR-51097 step down equipment, concealed copper piping etc. & any other item required to provide satisfactory functioning, self-closing exposed valve , 32 mm C.P. brass waste Cat. No. ALD-705L130 , 32 mm C.P. brass bottle trap with pipe to wall and C.P. wall flange Model-ALD769L300x190 chrome Finish or of KOHLER or GROHE or of equivalent make as approved complete with all necessary fixing arrangements as per the directions of the Engineer incharge	2	Each	33006.85	66014.00
16.11	Providing and fixing C.P. brass angular stop cock of Jaquar KUP-CHR-35053PM or GROHE model no. F54400-CHACT or of approved equivalent make complete with all necessary fixing arrangements as per the directions of the Engineer in charge. 15 mm nominal bore"	4	Each	750.42	3002.00
16.12	Providing and Fixing Toilet paper holder including cutting and making good the walls where required. (Jaquar AKP35753P) or KOHLER Model- K-5633IN-CP or GROHE or of approved equivalent make complete as per directions of Engineer-in-charge.	3	Each	2255.55	6767.00
16.13	Providing and Fixing C.P. cast brass Double coat hooks fixed to PVC Rawl Plug with Stainless Steel screws Jaquar (Cat. No. AQN-7761) or of KOHLER (Cat. No. K-15247IN-CP) or GROHE or of equivalent make complete as per directions of Engineer-in-charge.	3	Each	1334.91	4005.00

16.14	"Providing and fixing Vitreous china wall mounting type (European type) water closet with C.P, Rack Bolts, nuts, C.I. Chair or other hanging/fixing arrangement solid plastic seat with lid, C.P. brass hinges and rubber buffers, , C.P. brass screws and washers complete including cutting and making good the walls/floors wherever required. (Jaquar European type water closet Pan Model-KUS-WHT-35951 i/c ,UF Seat Cover with fittings , with dual flushing cistern Model- JCH-WHT-2400S & flush plate model-JCP-CHR-152415 or KOHLER Wall-hung toilet with Quiet-close seat and cover in white Cat No-Replay K-6098IN-S-0 ,with concealed flushing cistern Model-K-77027IN-M-NA & Faceplate in polished chrome model- Pebble K-5413IN-M-CP or GROHE or of equivalent make) complete as per directions of Engineer-in-charge."	2	Each	24631.13	49262.00
16.15	Providing and fixing C.P. brass Bib cock (make Jaquar Cat No. PRS-043 or Parryware Model- T2024A1or CERA model-F9020151 or equivalent as approved) including cutting and making good the walls as per direction of engineer in charge.15 mm nominal bore	7	Each	2417.05	16919.00
16.16	"Providing and Fixing Soap dispenser including all fittings complete : (Jaquar model ACN-1137N or KOHLER Model- K-10712D-CP or GROHE or of equivalent make as approved by Engineer in charge.)"	5	Each	3538.73	17694.00
16.17	Providing and fixing calcium silicate board in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):With calcium silicate board 8 mm thickness.	10	Sqm	1147.30	11473.00
16.18	Providing and fixing Mortice Cylindrical Lock-Mortice sash lock (Euro Profile) Non-handed & field reversible latch 5 pin Euro Profile Cylinder 60 mm, of HAFELE Cylindrical Lock CK701 KS SSS Entrance Function, HAFAL product code 911.83.680 or equivalent make of GEZE , DORMA or any other make with necessary screws etc. complete as per directions of Engineer in charge.	7	Each	1361.11	9528.00

16.19	<p>Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with zinc coating of 120 gms/sqm(both side inclusive), consisting of floor and ceiling channel 50 mm wide having equal flanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and 0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610 mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mm centre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99 mm width (0.9 mm thick having two flanges of 9.5 mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete.</p> <p>100 mm overall thickness partition with 12.5 mm thick double skin fire rated Glass Reinforced Gypsum (GRG) plaster</p>	755	Sqm	3139.30	2370172.00
16.2	Making trap door in false ceiling with 4mm & 0.5mm thick,FR-1 Grade ACP Sheet with all fixing aragement wall angle, prameter & main tee as per direction of Engineer in charge.	40	Sqm	2262.50	90500.00
16.21	Providing & fixing satin stainless steel lever handle pairs with rose , mortice bathroom lock with 55 mm backset & strike plate, bathroom escutcheons with indicator & spindle 8mm x 100 mm, of approved quality with necessary accessories and screws etc. all complete as per detailed Architectural Drawings and as directed by Engineer-in-charge : Manufacturer's warranty / guarantee card needs to be submitted, installation has to be certified by the Manufacturer in writing. Make:-(Hafle 911.02.149 + 902.53.922 + 909.00.721 + 903.92.586)	27	Each	6571.40	177428.00
16.22	Providing & fixing satin stainless steel frameless glass door lock of approved quality with necessary accessories and screws etc. all complete as per detailed Architectural Drawings and as directed by Engineer-in-charge Make:- (Dorma : Pure 8100 Series type 3, Hafle 911.02.149 + 902.53.922 + 909.00.721 + 903.92.586, GEZE : 98484003+98302002+98302009)	33	Pair	6625.70	218648.00

16.23	Providing and fixing satin stainless steel frameless glass door grade 304 pull handle of approved quality including the necessary stainless steel screws and other incidental charges complete as per detailed Architectural Drawings and as directed by Engineer-in-charge :	66	Pair	3025.20	199663.00
16.24	Providing & fixing Sun Control coloured solar film in windows, of Garware, M Forst or approved equivalent make & quality complete as per direction of Engineer-in-charge.	86	Sqm	1007.00	86602.00
16.25	Providing & fixing 25 mm line film on glass partition/doors of approved make & quality complete as per direction of Engineer-in-charge.	110	sqm	1268.00	139480.00
	Sub-Total				4600200.00
17	Fire Fighting System				
17.1	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.1) 25 mm dia	427.05	Mtr	744.00	317725.00
17.2	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.3) 40 mm dia	222	Mtr	1034.00	229548.00
17.3	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.4) 50 mm dia	222	Mtr	1281.00	284382.00
17.4	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.5) 65 mm dia	293	Mtr	1614.00	472902.00

17.5	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.6) 80 mm dia	293	Mtr	1885.00	552305.00
17.6	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.7) 100 mm dia	180	Mtr	2555.00	459900.00
17.7	Providing, laying, testing & commissioning of 'C' class heavy duty MS pipe conforming to IS 3589/IS 1239 including Welding, fittings like elbows, tees, flanges, tapers, nuts bolts, gaskets etc. and fixing the pipe on the wall/ceiling with suitable clamp/support frame and painting with two or more coats of synthetic enamel paint of required shade complete as required : (Item Taken from DSR-2022 of E & M, Item no. 18.7.8) 150 mm dia	219	Mtr	3574.00	782706.00
17.8	Providing, fixing, testing & commissioning of 15mm dia quartzoid bulb type sprinklers of rating 68 degree centigrade with required accessories : Pendent Sprinkler (Item Taken from DSR-2022 of E & M, Item no. 18.21.1)	256	Each	522.00	133632.00
17.9	Providing, fixing, testing & commissioning of 15mm dia quartzoid bulb type sprinklers of rating 68 degree centigrade with required accessories : Upright Sprinkler (Item Taken from DSR-2022 of E & M, Item no. 18.21.2)	200	Each	522.00	104400.00
17.1	Supplying, Installation, testing & commissioning of sprinkler flexible pipe (UL Listed) of stainless steel complete with 15 NPT on reducer thread with maximum working pressure of 175 PSI test pressure of 875 PSI (Burst) with branch line (Inlet) 25mm NPT male thread to sprinkler head (Outer) 15mm NPT female thread with reducer, nipple 2 side brackets, center bracket, stock bar of following sizes complete as required. 1500mm (Item Taken from DSR-2022 of E & M, Item no. 18.25.4)	256	Each	1833.00	469248.00
	Sub-Total				3806748.00
	Total				34166982.00
	Modified Estimated Cost after using correction factor on DSR 2023 on account of GST @ 0.973 * 34166982 = 33244473				33244473.00
	Say				33244473.00

Pre-Contract Integrity Pact
(Applicable for all tenders of the value above Rs.1 Crore)

General

This pre-bid pre-contract Agreement (hereinafter called the Integrity Pact) is made on ____ day of the month of _____ 202__.

BY AND BETWEEN

The Indian Institute of Technology Kanpur represented through "**The Registrar**", having its office located at G.T. Road, Kalyanpur, Kanpur, Uttar Pradesh – 208016 (hereinafter called the "**BUYER**", which expression shall mean and include, unless **the** context otherwise requires, his successors in office and assigns) of the **First Party**;

AND

M/s _____ a company incorporated under the Companies Act, 2013 through its representative/authorized signatory (insert name and designation of the officer) vide resolution dated _____ passed by the Board of Directors, having its registered office at _____

(hereinafter referred to as "**The Bidder(s)/Contractor(s)**") which terms or expression shall, unless excluded by or repugnant to the subject or context, mean and include its successor-in-office, administrators or permitted assignees) of the **Second Party**;

WHEREAS, the Institute/Buyer has floated the Tender bearing No. 10/Civil/D3/2026-27 _____ (hereinafter referred to as "**Tender/Bid**") and intends to award, under laid down organization procedures, contract(s) for Civil Works for restoring the fifth floor (level 6) into a functional space in Technopark Building(Name of the work/goods/ services). The Institution values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relations with its Bidder(s) and/or Contractor(s).

AND WHEREAS, the BIDDER is a private company/public company/Government undertaking/partnership/registered export agency, constituted in accordance with the relevant law in the matter and the BUYER is a body corporate and has been established under the provisions of the Institutes of Technology Act, 1961.

AND WHEREAS, in order to achieve these goals, in consultation with the CVC, the Govt. of India, Ministry of Education has appointed Independent External Monitors (IEMs), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

NOW, THEREFORE, to avoid all forms of corruption by following a system that is fair, transparent and free from any influence/prejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:-



Enabling the BUYER to obtain the desired said stores/equipment at a competitive price in conformity with the defined specifications by avoiding the high cost and the distortionary impact of corruption on public procurement, and

Enabling BIDDERS to abstain from bribing or indulging in any corrupt practice in order to secure the contract by providing assurance to them that their competitors will also abstain from bribing and other corrupt practices and the BUYER will commit to prevent corruption, in any form, by its officials by following transparent procedures.

The parties hereto hereby agree to enter into this Integrity Pact and agree as follows:

Section 1: Commitments of the BUYER

1. The BUYER commits itself to take all measures necessary to prevent corruption and to observe the following principles: -
 - (a) No employee of the BUYER, personally or through family members, shall in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The BUYER shall treat all Bidder(s) with equity and reason during the tender process. The BUYER shall, in particular, before and during the tender process, provide to all Bidder(s) the same information and shall not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in the tender process or the contract execution.
 - (c) The BUYER shall exclude from the process all known persons having conflict of interest.
2. If the BUYER obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the BUYER shall inform the Chief Vigilance Officer, IIT Kanpur and in addition shall initiate disciplinary proceedings.

Section 2: Commitments of BIDDERS

1. The BIDDER commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its bid or during any pre-contract or post-contract stage in order to secure the contract or in furtherance to secure it and in particular commit itself to the following:-
 - (a) The BIDDER will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER, connected directly or indirectly with the bidding process, or to any person, organisation or third party related to the contract in exchange for any advantage in the bidding, evaluation, contracting and implementation of the contract.

Uis

- (b) The BIDDER further undertakes that it has not given, offered or promised to give, directly or indirectly any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any official of the BUYER or otherwise in procuring the Contract or forbearing to do or having done any act in relation to the obtaining or execution of the contract or any other contract with the Government for showing or forbearing to show favour or disfavour to any person in relation to the contract or any other contract with the Government.
- (c) The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly, the Bidder(s)/Contractor(s) of Indian Nationality shall furnish the name and address of the foreign entity or associates, if any. Further details as mentioned in the "Guidelines of Indian Agents of Foreign suppliers" shall be disclosed by the Bidders(s)/Contractor(s). Further, as mentioned in the Guidelines all payments made to the Indian Agent/representative have to be in Indian Rupees only.
- (d) BIDDERS shall disclose the payments to be made by them to agents/brokers or any other intermediary, in connection with this bid/contract.
- (e) The BIDDER further confirms and declares to the BUYER that the BIDDER is the original manufacturer/integrator/authorised government sponsored export entity of the defence stores and has not engaged any individual or firm or company whether Indian or foreign to intercede, facilitate or in any way to recommend to the BUYER or any of its functionaries, whether officially or unofficially to the award of the contract to the BIDDER, nor has any amount been paid, promised or intended to be paid to any such individual, firm or company in respect of any such intercession, facilitation or recommendation.
- (f) The BIDDER, either while presenting the bid or during pre-contract negotiations or before signing the contract, shall disclose any payments he has made, is committed to or intends to make to officials of the BUYER or their family members, agents, brokers or any other intermediaries in connection with the contract and the details of services agreed upon for such payments.
- (g) The BIDDER will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- (h) The BIDDER will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- (i) The BIDDER shall not use improperly, for purposes of competition or personal gain, or pass on to others, any information provided by the BUYER as part of the business relationship, regarding plans, technical proposals and business details, including information contained in any electronic data carrier. The BIDDER also undertakes to exercise due and adequate care lest any such information is divulged.

Uis

- (j) The BIDDER commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable facts.
- (k) The BIDDER shall not instigate or cause to instigate any third person to commit any of the actions mentioned above.
- (l) If the BIDDER or any employee of the BIDDER or any person acting on behalf of the BIDDER, either directly or indirectly, is a relative of any of the officers of the BUYER, or alternatively, if any relative of an officer of the BUYER has financial interest/stake in the BIDDER's firm, the same shall be disclosed by the BIDDER at the time of filing of tender. The term 'relative' for this purpose would be as defined in Section 2(77) of the Companies Act, 2013.
- (m) The BIDDER shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any employee of the BUYER.

Section 3: Disqualification from tender process and exclusion from future contracts:

1. If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put their reliability or credibility in question, the Institute/Buyer is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as per the procedure mentioned in the "Guidelines on Banning of Business Dealing".
2. Any violation of Integrity Pact would entail disqualification of the bidder(s) and exclusion from future business dealings, as per the existing provisions of GFR-2017, PC Act, 1988 and other Financial Rules/Guidelines etc. as may be applicable to the organization concerned.

Section 4: Compensation for Damages:

1. If the Institute/Buyer has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Institute/Buyer is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
2. If the Institute/Buyer has terminated the contract according to Section 3, or if the Institute/Buyer is entitled to terminate the contract according to Section 3, the Institute/Buyer shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value or the amount equivalent to Performance Bank Guarantee.

Section 5: Previous Transgression

1. THE BIDDER(S) to disclose any transgressions with any other public/government organization that may impinge on the anti-corruption principle. The date of such transgressions, for the purpose of disclosure by the BIDDER(s) in this regard, would be the date on which cognizance of the said transgression was taken by the competent authority. The period for which such transgression(s) is/are to be reported by the bidders

U.S.F

shall be the last **three years** to be reckoned from date of bid submission. The transgression(s), for which cognizance was taken even before the said period of three years, but are pending conclusion, shall also be reported by the BIDDERS.

2. The BIDDER agrees that if it makes incorrect statement on this subject, BIDDER can be disqualified from the tender process or the contract, if already awarded, can be terminated for such reason.

Section 6: Equal Treatment of all Bidders/Contractors/Sub-Contractors:

1. In the case of sub-contracting, the principal/main Contractor shall take the responsibilities of adoption of the Integrity Pact by the Sub-contractor.
2. The BUYER will enter into agreements with the identical conditions as this one with all bidders and Contractors.
3. The BUYER will disqualify from the tender process all bidders who do not sign this Pact or violate its provisions.

Section 7: Criminal Charges against violating Bidder(s)/Contractor(s)/Sub-Contractors:

1. If the Buyer obtains knowledge of the conduct of a Bidder, Contractor or Sub-contractor, or of an employee or a representative or an associate of a Bidder, Contractor or Sub-contractor which constitutes corruption, or if the Institute/Buyer has substantive suspicion in this regard, the Institute/Buyer will inform the same to the Chief Vigilance Officer, IIT Kanpur.

Section 8: Sanctions for Violations

1. Any breach of the aforesaid provisions by the BIDDER or anyone employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER) shall entitle the BUYER to take all or any one of the following actions, wherever required: -
 - (i) To immediately call off the pre contract negotiations without assigning any reason or giving any compensation to the BIDDER. However, the proceedings with the other BIDDER(s) would continue.
 - (ii) The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bond (after the contract is signed) shall stand forfeited either fully or partially, as decided by the BUYER and the BUYER shall not be required to assign any reason, therefore.
 - (iii) To immediately cancel the contract, if already signed, without giving any compensation to the BIDDER.
 - (iv) To recover all sums already paid by the BUYER, and in case of an Indian BIDDER with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a BIDDER from a country other than India with interest thereon at 2%. higher than the LIBOR. If any outstanding payment is due to the BIDDER from the BUYER in connection

U.S.F.

with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.

- (v) To encash the advance bank guarantee and performance bond/warranty bond, if furnished by the BIDDER, in order to recover the payments already made by the BUYER, along with interest.
 - (vi) To cancel all or any other Contracts with the BIDDER. The BIDDER shall be liable to pay compensation for any loss or damage to the BUYER resulting from such cancellation/rescission and the BUYER shall be entitled to deduct the amount so payable from the money(s) due to the BIDDER.
 - (vii) To debar the BIDDER from participating in future bidding processes of the Institute for a minimum period of two years, which may be further extended at the discretion of the BUYER.
 - (viii) To recover all sums paid in violation of this Pact by BIDDER(s) to any middleman or agent or broker with a view to securing the contract.
 - (ix) In cases where irrevocable Letters of Credit have been received in respect of any contract signed by the BUYER with the BIDDER, the same shall not be opened.
 - (x) Forfeiture of Performance Bond in case of a decision by the BUYER to forfeit the same without assigning any reason for imposing sanction for violation of this Pact.
2. The BUYER will be entitled to take all or any of the actions mentioned at para 9.1 (i) to (x) of this Pact also on the Commission by the BIDDER or anyone employed by it or acting on its behalf (whether with or without the knowledge of the BIDDER), of an offence as defined in Chapter IX of the Indian Penal Code, 1860 or Prevention of Corruption Act, 1988 or any other statute enacted for prevention of corruption.
3. The decision of the BUYER to the effect that a breach of the provisions of this Pact has been committed by the BIDDER shall be final and conclusive on the BIDDER. However, the BIDDER can approach the Independent Monitor(s) appointed for the purposes of this Pact.

Section 9: Fall Clause

1. The BIDDER undertakes that it has not supplied/is not supplying similar product/systems or subsystems at a price lower than that offered in the present bid in respect of any other Ministry/Department of the Government of India or PSU and if it is found at any stage that similar product/systems or sub-systems was supplied by the BIDDER to any other Ministry/Department of the Government of India or a PSU at a lower price, then that very price, with due allowance for elapsed time, will be applicable to the present case and the difference in the cost would be refunded by the BIDDER to the BUYER, if the contract has already been concluded.

U.S.F.

Section 10: Independent Monitors

1. The IEMs have been appointed by the Ministry of Education in consultation with the Central Vigilance Commission. The details of the IEMs are as follows:
 - (a) Mr. Ranvir Singh, IEM1@iitk.ac.in
 - (b) Mr. P.V.V. Satyanarayana, IEM2@iitk.ac.in
2. The task of the Monitor shall be to review independently and objectively, whether and to what extent the parties comply with the obligations under this Pact.
3. The Monitor shall not be subject to instructions by the representatives of the parties and perform their functions neutrally and independently.
4. Both the parties accept that the Monitor has the right to access all the documents relating to the project/procurement, including minutes of meetings.
5. As soon as the Monitor notices, or has reason to believe, a violation of this Pact, he will so inform the Authority designated by the BUYER.
6. The BIDDER(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the BUYER including that provided by the BIDDER. The BIDDER will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his project documentation. The same is applicable to Subcontractors. The Monitor shall be under contractual obligation to treat the information and documents of the BIDDER/Subcontractor(s) with confidentiality.
7. The BUYER will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations between the parties. The parties will offer to the Monitor the option to participate in such meetings.
8. The Monitor will submit a written report to the designated Authority of BUYER within 8 to 10 weeks from the date of reference or intimation to him by the BUYER / BIDDER and, should the occasion arise, submit proposals for correcting problematic situations.
9. A person signing the IP Pact shall not approach the Court while representing the matter to IEMs and shall await the decision in the matter.
10. The IP would be implemented through a panel of Independent External Monitors (IEMs), appointed by the Ministry. The IEM would review independently and objectively whether and to what extent parties have complied with their obligations under the Pact on receipt of any complaint by them from the Bidder(s).
11. Integrity Pact (IP), in respect of a particular contract, shall be operative from the date IP is signed by both parties. The IEMs shall examine all the representations/grievances/complaints received by them from the bidders or their authorized representatives related to any discrimination on account of lack of fair play in modes of procurement and bidding systems, tendering method, eligibility conditions, bid

evaluation criteria, commercial terms & conditions, choice of technology/specifications etc.

12. For ensuring the desired transparency and objectivity in dealing with the complaints arising out of the tendering process, the matter should be examined by the full panel of IEMs jointly, who would look into the records, conduct an examination, and submit their joint recommendations to the Management. In case the full panel is not available due to some unavoidable reasons, the available IEM(s) will conduct examination of the complaints. Consent of the IEM(s), who may not be available, shall be taken on the records.
13. In the event of any dispute between the management and the contractor relating to those contracts where Integrity Pact is applicable, in case, both the parties are agreeable, they may try to settle dispute through mediation before the panel of IEMs in a time-bound manner. If required, the organization may adopt any mediation rules for this purpose.

In case, the dispute remains unresolved even after mediation by the panel of IEMs, the organization may take further action as per the terms & conditions of the contract.

The fees/expenses on dispute resolution shall be equally shared by both parties.
14. If the Monitor has reported to the Management of the BUYER a substantiated suspicion of an offense under the relevant IPC/ PC Act, the Management of the BUYER will take action after examination of the veracity of the intent of the action.
15. The word "**Monitor**" would include both singular and plural.

Section 11: Facilitation of Investigation

1. In case of any allegation of violation of any provisions of this Pact or payment of commission, the BUYER or its agencies shall be entitled to examine all the documents, including the Books of Accounts of the BIDDER, and the BIDDER shall provide necessary information and documents in English and shall extend all possible help for the purpose of such examination.

Section 12: Law and Place of Jurisdiction

1. This Pact is subject to Indian Law. The place of performance and jurisdiction is the seat of the BUYER i.e., Kanpur Nagar.

Section 13: Other Provisions

1. The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.
2. Changes and supplements, as well as termination notices, need to be made in writing. Side agreements have not been made.

U.S.F.

3. In case of a joint venture, all the partners of the joint venture should sign the Integrity Pact. In case of sub-contracting, the principal contractor shall be solely responsible for the adherence to the provisions of IP by the sub-contractor(s).
4. Issues like Warranty/Guarantee etc. shall be outside the purview of the IEMs.
5. This Integrity Pact is deemed as part of the contract.

Section 14: Validity

1. The validity of this Integrity Pact shall be from the date of its signing and extend up to 5 years or the complete execution of the contract to the satisfaction of both the BUYER and the BIDDER/Seller, including the warranty period, whichever is later. In case BIDDER is unsuccessful, this Integrity Pact shall expire after six months from the date of the signing of the contract.
2. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact shall remain valid. In this case, the parties will strive to come to an agreement with their original intentions.

IN WITNESS WHEREOF, the parties hereunto set their hands and seals and executed this Integrity Pact as of the date/month/year first above written in the presence of following witnesses:

For & on behalf of
The Indian Institute of Technology Kanpur
(First Party)
 Signed, Sealed and delivered by

Vishwa

Name: **Vishwa Ranjan** विश्व रंजन / Vishwa Ranjan
 Designation: **Registrar**, कुलसचिव / Registrar
 Address: **IIT Kanpur** भारतीय प्रौद्योगिकी संस्थान कानपुर
 (Authorized Signatory) INDIAN INSTITUTE OF TECHNOLOGY KANPUR
 कानपुर - 208 016 (उ.प्र.) भारत
 KANPUR - 208 016 (U.P.) INDIA

For & on behalf of
The M/s
(Second Party)
 Signed, Sealed and delivered by

Name:
 Designation:
 Address:
 (Authorized Signatory vide resolution dated passed by the Board of Directors)

In the presence of Witness:

- | | |
|--------------------|---------|
| 1. (Indenter) | 1. |
| 2. | 2. |

Vishwa