

QUOTATION

Name of work: Providing UPS Input output and making UPS power points etc. in WL- 210A, Providing additional power points etc. in Old SAC 1st floor Block A dash with all allied works in Academic area in the campus at IIT Kanpur.

S. No.	Description	Qty.	Unit	Rate	Amount (Rs.)
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
a)	3 x 1.5 sq. mm	5.00	Metre	98.29	491.45
b)	3 x 2.5 sq. mm	22.00	Metre	141.74	3118.39
c)	3 x 4 sq. mm	48.00	Metre	213.13	10230.46
d)	6 x 6 sq. mm	15.00	Metre	618.71	9280.67
e)	3 x 16 sq.mm.	10.00	Mtr	744.94	7449.36
2	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
a)	5/6 A switch	4.00	No.	106.57	426.27
b)	15/16 A switch	7.00	No.	161.40	1129.82
c)	3 pin 5/6 A socket outlet	4.00	No.	126.23	504.90
d)	6 pin 15/16 A socket outlet	7.00	No.	203.82	1426.76
e)	Blanking Plate	5.00	No.	41.39	206.93
3	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.				
a)	3 Module	7.00	No.	156.23	1093.61
b)	6 Module	2.00	No.	188.30	376.61
4	Supplying and fixing following size/ modules, plastic box for modular switches in recess etc as required.				
a)	3 Module	7.00	Nos.	341.43	2390.00
c)	6 Module	2.00	Nos.	386.95	773.91

S. No.	Description	Qty.	Unit	Rate	Amount (Rs.)
5	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
a)	2+6 way, Double door	1.00	No.	2282.40	2282.40
6	Supplying and fixing following rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a)	Single pole 5 A to 32 A	7.00	Nos.	264.87	1854.06
b)	Triple pole and neutral 5 A to 32 A	1.00	Nos.	1270.53	1270.53
c)	Double Pole (40A-63A)	1.00	Nos.	1103.95	1103.95
d)	single pole blanking plate	2.00	No.	13.45	26.90
7	S & F metal enclosure suitable for DP/TPN MCB / DP ELCB on surface or recessed etc as reqd.	2.00	Nos.	1044.98	2089.96
8	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
a)	63 A	1.00	No.	2816.27	2816.27
9	Supply and fixing of 32 x 20 mm DLP mini-trunking white-system with independent cover etc. as required complete.	40.00	Mtr	225.55	9022.01
10	Supply and fixing of following accessories suitable for 32 mm x 20 mm size plastic trunking white system.				
a)	End cap	10.00	Nos.	147.95	1479.53
b)	internal / external angle	12.00	Nos.	140.71	1688.52
c)	changeable flat angle	8.00	Nos.	118.98	951.86
d)	flat junction	2.00	Nos.	140.71	281.42
11	S & F following size of steel flexible pipe along with the accessories on surface etc as required				
a)	25 mm	2.00	Mtr	85.87	171.75

S. No.	Description	Qty.	Unit	Rate	Amount (Rs.)
12	S&F, Copper tube / reducer/ lug terminals suitable for following size of conductor.				
a)	6 /10/16 Sq.mm.	18.00	Nos.	36.21	651.82
	Total Estimated Rs.(i/c GST)				64590.13
	Say Rs. (i/c GST)				64590.00
	Quoted percentage Above/ Below				
	Quoted amount Rs .(i/c GST)				

Bidder Sign & Date

Bidder Seal


 28/01/20
 TALLURI KESAVADAS
 अधिकारी अभियंता (प्रियुल)
 Executive Engineer (Elect)
 स.लि.दि. आ.पी. चंद्रश्च, छान्दुर
 I.W.D., I.I.T. Kanpur