

QUOTATION

Sub :- Providing power supply to pumping system for data center cooling.

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1.00	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
1.01	3 x 1.5 sq. mm	20.00	Metre	98.29	1965.80
1.02	3 x 4 sq. mm	25.00	Metre	213.13	5328.36
2.00	Supply & Laying of 32 mm dia, 8Kg / cm ² , minimum 2.0 mm thick HDPE pipe, ISI mark in following manners as required complete.				
2.01	in ground I/c excavation, sand cushioning, protective covering and refixing the trench etc as reqd	10.00	Meter	307.29	3072.86
2.02	in open duct	5.00	Meter	69.32	346.60
3.00	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffuser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.				
3.01	1 X 20W Box type LED tube with fitting	2.00	Nos.	982.90	1965.80
4.00	Supplying and laying of one no. 3.5 x 35.0 sqmm PVC insulated, XLPE steel armoured aluminium conductor power cable of grade 1.1 kV as required complete in following manners.				
4.01	in ground I/c excavation, sand cushioning, protective covering and refixing the trench etc as reqd	8.00	Meter	681.82	5454.59
4.02	in open duct	10.00	Meter	267.97	2679.70
4.03	On Surface	7.00	Meter	296.94	2078.58
5.00	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.				
5.01	3½ X 35 sq. mm (32mm)	2.00	No.	381.78	763.56

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
6.00	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
6.01	5/6 A switch	3.00	No.	106.57	319.70
6.02	15/16 A switch	3.00	No.	161.40	484.21
6.03	3 pin 5/6 A socket outlet	1.00	No.	126.23	126.23
6.04	6 pin 15/16 A socket outlet	3.00	No.	203.82	611.47
6.05	Blanking Plate	1.00	No.	41.39	41.39
7.00	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.				
7.01	3 Module	3.00	No.	156.23	468.69
7.02	6 Module	1.00	No.	188.30	188.30
8.00	Supplying and fixing following size/ modules, plastic box for modular switches in recess etc as required.				
8.01	3 Module	3.00	Nos.	341.43	1024.29
8.02	6 Module	1.00	Nos.	386.95	386.95
9.00	Supply and fixing of 32 x 20 mm DLP mini- trunking white-system with independent cover etc. as required complete.	20.00	Meter	225.55	4511.00
10.00	Supply and fixing of following accessories suitable for 32 mm x 20 mm size plastic trunking white system.				
10.01	End cap	2.00	Nos.	147.95	295.91
10.02	internal / external angle	4.00	Nos.	140.71	562.84
10.03	changeable flat angle	3.00	Nos.	118.98	356.95
11.00	Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 V, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 A tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCBs (but without MCBs and incomer) as required . (Note : Vertical type MCB TPDB is normally used where 3 phase outlets are required.)				
11.01	8 way (4 + 24), Double door	1.00	No.	10517.05	10517.05

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
12.00	Supplying and fixing following rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
12.01	Single pole 5 A to 32 A	10.00	No.	264.87	2648.66
12.02	Triple pole 5 A to 32 A	1.00	No.	1041.88	1041.88
12.03	Single Pole (40A-63A)	3.00	Nos.	539.04	1617.13
12.04	Triple pole (40A-63A)	1.00	Nos.	1628.51	1628.51
12.05	Four Pole (40A-63A)	1.00	Nos.	2019.61	2019.61
13.00	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	5.00	No.	13.45	67.25
	Estimated Amout Rs. (i/c GST)				52573.89
	Say Rs.(i/c GST)				52574.00
	Quoted Percentage Above/ Below				
	Quoted Amount Rs.(i/c GST)				

Bidder Sign. & Date

Bidder Seal

T. Kesava
09/02/26

ताल्लुरि केशवदास
TALLURI KESAVADAS
इलेक्ट्रिकल इंजीनियर (विद्युत)
Executive Engineer (Elec)
सं.नि.वि. सा.प. इंधन, कर्णूल
I.W.D., I.T. Karapur