

## QUOTATION

Sub:- Replacement of defective electrical items like wire, , Switch & socket and LED lights, etc in DJAC-606H, Karmchari sangathan, DJAC-101H, ESB-II-4th floor HB-303 etc other labs and offices in academic area on complaint basis.

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1.00	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
1.01	3 x 1.5 sq. mm	55.00	Metre	98.29	5405.96
1.02	3 x 2.5 sq. mm	18.00	Metre	141.74	2551.41
1.03	3 x 4 sq. mm	1.00	Metre	213.13	213.13
2.00	Supply and fixing of 32 x 20 mm DLP mini- trunking white-system with independent cover etc. as required complete.	40.00	Meter	225.55	9022.01
3.00	Supply and fixing of following accessories suitable for 32 mm x 20 mm size plastic trunking white system.				
3.01	End cap	2.00	Nos.	147.95	295.91
3.02	internal / external angle	4.00	Nos.	140.71	562.84
3.03	changeable flat angle	2.00	Nos.	118.98	237.97
4.00	Supply, installation, testing and commissioning of following LED lamp in existing fitting as required complete.				
4.01	20 watt ESENTIAL PHILIPS or equivalent Tube in place of 36/40 W FL tube	48.00	Nos.	371.43	17828.81
5.00	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffuser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.				
5.01	1 X 20W Box type LED tube with fitting	5.00	Nos.	982.90	4914.51
5.02	12 watt recess mounting LED light fixture	10.00	Nos.	999.46	9994.56
5.03	12 watt surface mounting LED light fixture	15.00	Nos.	999.46	14991.85
5.04	18 watt recess 300 x 300 mm mounting LED light fixture	5.00	Nos.	1317.09	6585.44
5.05	36 watt recess mounting LED light fixture 600 x 600 mm	22.00	Nos.	3030.44	66669.74
5.06	36 watt surface mounting LED light fixture 300 x 1200 mm	2.00	Nos.	4161.30	8322.60
5.07	20 watt batten type LED light fixture	8.00	Nos.	655.96	5247.66
5.08	36/40 watt batten type LED light fixture	2.00	Nos.	646.65	1293.29
6.00	Supplying and fixing following rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
6.01	Single pole 5 A to 32 A	12.00	No.	264.87	3178.40
6.02	Double Pole (40A-63A)	1.00	Nos.	1103.95	1103.95
6.03	Four Pole (40A-63A)	1.00	Nos.	2019.61	2019.61
7.00	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
7.01	12 way, Double door	1.00	No.	2395.18	2395.18

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
8.00	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
8.01	5/6 A switch	9.00	No.	106.57	959.11
8.02	15/16 A switch	2.00	No.	161.40	322.81
8.03	3 pin 5/6 A socket outlet	2.00	No.	126.23	252.45
8.04	6 pin 15/16 A socket outlet	2.00	No.	203.82	407.65
9.00	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	2.00	No.	381.78	763.56
10.00	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.				
10.01	6 Module	2.00	No.	188.30	376.61
10.02	12 Module	1.00	No.	281.42	281.42
11.00	Supplying and fixing following size/ modules, plastic box for modular switches in recess etc as required.				
11.01	6 Module	2.00	Nos.	386.95	773.91
11.02	12 Module	1.00	Nos.	743.90	743.90
12	Supplying and fixing following modular switch/ socket on the existing clip-on frame fixed on 85mm cover of 105 x 50 mm DLP plastic trunking including connections etc. as required complete.				
12.01	20 A switch	1.00	No.	326.94	326.94
12.02	6/16 A 3 pin socket outlet	1.00	No.	413.85	413.85
13.00	Alteration of internal wiring in existing fitting of any type for retrofitting of tube LED i/c dismantling & refixing as reqd.	10.00	Nos.	190.37	1903.73
14.00	Dismantling, disconnecting old damaged unserviceable fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd. and depositing in sectional store.	68.00	Nos.	122.09	8301.90
15.00	Dismantling conciled & damaged DB/TPN Switches/starter/ loose wire boxes along with all accessories and depositing the same in the store repairing the damages as reqd complete.	3.00	Nos.	307.29	921.86
16.00	Supply and installation of 400mm sweep AC 230/250 volts, 50 Hz wall mounting revolving fan with brackets etc complete.	1.00	Nos.	3013.89	3013.89
17.00	Supply and fixing testing and commissioning of 1X10 watt LED mirror light fixture with Electronic driver, lamp, reflector, diffuser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.(eq. To Crompton cat. no. CCS-103-10-65-SL-DP-NWH).	4.00	Nos.	547.32	2189.29
18.00	Supplying & fixing 3mm (1/8") thick phenolic laminated sheet on existing board with screw & washer etc. as required.	1450.00	Sq.cm.	0.93	1350.20
19.00	S & F metal enclosure suitable for DP/TPN MCB / DP ELCB on surface or recessed etc as reqd.	1.00	Nos.	1044.98	1044.98
20.00	Supplying and fixing 32 amps, 415 volts, 3P+N+E industrial type, socket outlet, with 5 pin metal enclosed plug top along with 32 amps ' C ' series four pole MCB, in the sheet steel enclosure, on surface or in recess, with chained metal cover for the socket as required complete.	1.00	Nos.	6899.97	6899.97
21.00	Supply fixing connecting & commissioning of following rating ISI marked 3 pin Plug top Anchor make as reqd complete.				
21.01	15 Amp	2.00	Nos.	114.84	229.69

SL No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
22.00	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.				
22.01	3½ X 35 sq. mm (32mm)	1.00	No.	381.78	381.78
23.00	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, complete with all accessories and tube/lamp etc. directly on ceiling/ wall, including connections with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required.	2.00	No.	213.13	426.27
24.00	Overhauling of ceiling fan of any size including dismantling and refixing of fan, bearings, checking, cleaning the all parts and supply & replacement of rubber real, rubber rings, nut bolts, hanger clamps, bearing plates, cotter/ split pin, varnishing if reqd etc, reassembling testing and commissioning of fan as required complete.	1.00	Nos.	510.07	510.07
25.00	Supplying and fixing following capacity capacitor suitable for ceiling fan / exhaust fan / air-curtain etc..				
25.01	2.5 mfd	1.00	Nos.	132.43	132.43
26.00	Rewinding of exhaust fans of following sizes i/c dismantling cutting the damaged winding and providing rewinding along with insulation paper, varnish, connecting copper leads of suitable quality including dismantling and refixing from normal/abnormal height and refixing as required.( old burnt wire shall be retain by the contactor.)				
26.01	Rewinding of exhaust fan 15"	2.00	Nos.	1683.35	3366.70
26.02	Rewinding of exhaust fan 18"	2.00	Nos.	2049.61	4099.22
	Total Estimated Rs (i/c GST)				203229.00
	Quoted Percentage Above /Below				
	Quoted Amount Rs.(i/c GST)				

Bidder Signature & Date

Bidder Seal

T. K. Cudari  
07/02/26

ताळूरि केशवदास  
TALLURI KESAVADAS  
अधिकाारी अभियंता (विद्युत)  
Executive Engineer (Elect)  
इ.नि.वि. वा.प्रौ. संस्थान, कापूर  
I.W.D., I.I.T. Kampur