

Bid Number: GEM/2022/B/2543649 Dated: 07-10-2022

Bid Corrigendum

GEM/2022/B/2543649-C3

Following terms and conditions supersede all existing "Buyer added Bid Specific Terms and conditions" given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

- 1. OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
- 2. Buyer Added text based ATC clauses

<u> Corrigendum - 1</u>

Due to some updates in Technical Specifications fresh Technical Specifications

are Floated, Please quote accordingly,

Updated Tender Specification

Tender Notification for the Optical measurement system and Gas Purifier

Quartz window for optical measurement, should be provided bottom plate of Glove box -2

One 150 mm X 150 mm optical feedthrough with quartz window at the bottoms (base) of the system. We plan to install a solar simulator underneath the optical feedthrough. The space under the instrument must be free to house the solar simulator. The quartz window must be replaceable.

Programmatic Logic Control

• Glove box should be controllable with independent and fully integrated

programmatic logic control (PLC), with a touch panel interface.

• The PLC should be from a reputed firm like Siemens or other globally reputed established ones.

• The touch panel interface should serve as a central control unit for all glove box functions and procedures.

• All glove box functions should be accessible via the touch panel.

• Graphical display of the box pressure, O2, and moisture levels should be available in the touch panel interface.

• Automatic Box purge should be possible via PLC.

• PLC should trigger an automatic box purge either due to high O2 or moisture or both in the glove box or an automatic timer option to trigger box purge at a pre-set time for a pre-set duration.

• Touch panel implementations showing this should be provided. A copy of relevant documentation from the user manual should also be provided.

• Gas (argon or nitrogen) flow rate of 200 liter/min or greater during purging should be possible.

• The O2 and moisture trigger set-point range for automatic box purging should be between 10-999 ppm. Touch panel implementations showing this should be provided. A copy of relevant documentation from the user manual should also be provided.

Double column Purifier

• <u>Double</u> Column Gas purification system 7-inch Siemens or other globally reputed established touch screen HMI, remote and graphical PLC controller with Auto-regeneration

• Glove box should have at least one independent purifier capable of

purifying the glove box ambient to attain purity of <1 ppm H2O and O2.

• The removable capacity should be a minimum of 36 to 41 <u>Two liters</u> minimum <u>10 Kg</u> for oxygen and at least 1200 to 1400 grams <u>Two filters</u> for moisture minimum <u>10 Kg</u> Specification sheets or data sheets attesting to this must be provided.

• The purifier should be fully regenerable with an automatic/programmed control using forming gas (10% H2 or lower) or Ar or N2.

• Continuous gas purification even during regeneration phases

• Two reactor columns allow continuous operation. One regenerable reactor column per line maintains ultra-low levels of oxygen and moisture in inert enclosures.

• The gas circulation blower should be capable of a circulation rate of at least 88 to 100 m3/hour. The maximum and minimum circulation rates of the blower should be provided and should work without any heat exchanger.

• The blower speed should be dynamically controlled via program logic based on the moisture and oxygen content in the glove box, to make the blower operation power efficient. Implementation diagrams or specifications that prove this is possible must be provided.

• The purifier loop must have at least two H14 dust filters (HEPA or ULPA filters) -- one for filtering inlet gas (nitrogen or argon) and one for filtering the box ambient before it goes out to the gas circulation system.

• Oil bubblers should NOT be used in any of the gas circulation lines. The mechanism for pressure regulation should be clearly mentioned.

• NO component in the gas circulation line (except for the vacuum pumps) should use oil or oil-containing parts.

• Eco Mode Operation

• Auto purge with time sequence or ppm of O2 and H2O

7 Kg solvent absorption unit for Wet Box

Solvent absorption unit should have both inline and bypass modes manual three way valves.

2 Kg Inline Solvent absorption unit for Dry box.

Sensors

• A solid-state/Electrochemical oxygen sensor capable of measuring oxygen levels from 0.1 ppm to 1000 ppm should be provided with a box.

• A solid-state moisture sensor capable of measuring moisture levels from 0.1 ppm to 3000 ppm should be provided with the box.

Box pressure

• Box pressure should be controllable automatically (via programmatic logic) within a pressure range of -15 to +15 mbar.

• The desired pressure should be settable via the touch panel interface. Touch panel implementations showing this should be provided. A copy of relevant documentation from the user manual should also be provided.

- This is with the approval of Competent Authority.

Terms and Conditions (As per GeM)

1. General Terms and Conditions-

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the

provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Buyer Added Bid Specific Terms And Conditions-

2.1 Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.2 Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.3 Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer?s standard format only.

2.5 Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.6 - NA

2.7 Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.8 Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

2.9 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.10 OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.11 IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

2.12 Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.13 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.14 Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.15 Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.16 To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid): OEM or OEM Authorization.

2.17 Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.18 NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

20. Past Project Experience

For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:

a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies against the invoices have been executed.

b. Execution certificate by client with order value.

c. Any other document in support of order execution like Third Party Inspection release note, etc.

21. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e.current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or

(iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should

be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

Note:

<u>1- See Additional Document attached in ATC Documents which needs to be</u> <u>submitted. (Mandatory)</u>

Additional T&C (If Any) - See Attachment in ATC For Specifications or BID related Certificates (Mandatory)

Please Note: This Item Consists Various Components/Parts/Sub Parts/Accessories (See Specifications for Full details) where BID is floated for 01 SET (So the Prices should be quoted accordingly that consist of all in 01 Set Prices)

3. Buyer uploaded ATC document <u>Click here to view the file</u>.

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

This Bid is also governed by the General Terms and Conditions