CALL FOR QUOTATION FOR A RESEARCH GRADE ROTATIONAL RHEOMETER

Inquiry: # CHE/CF/1/2012

Please send a sealed quotation for a rotational stress/strain controlled research grade rheometer to carry out rheological studies on soft materials such as suspensions emulsions, pastes, polymeric solutions and polymeric melts.

The rheometer should have following specifications:

Description	Specification
Mode:	Controlled Stress/Strain, Oscillation, Elongational
	(vertical movement of the top plate)
Bearing Type	Magnetic Bearings
Motor Type	Drag-Cup-Motor/ EC Motor (brushless DC) with high resolution optical encoder
Rotational Torque Range	Min: 5 nNm, Max: 200 mNm, resolution 0.05 nNm
Angular Velocity	Min: 0 rad/s; Max: 300 rad/s, resolution: 2 nrad/s
Frequency	Min: 1µHz; Max: 500Hz
Normal Force Range	Min: 0.005 N; Max : 50 N, resolution: 0.5 mN
Universal Peltier Temp. Control	For Parallel plate, Cone and plate and Coaxial Cylinders: geometries -30 °C to 150°C
High temp. test chamber	High temperature test chamber for studying polymer melt. Temperature range: -100 °C to 500°C.
Measuring Geometry with smooth surface (compatible with both	 Stainless steel, 20 mm plate or equivalent Stainless Steel, 40 mm Plate or equivalent Stainless Steel, 60 mm Plate or equivalent Stainless steel, 20 mm, 3 deg cone or equivalent Stainless Steel, 40 mm, 1 deg Cone or equivalent Stainless Steel, 60 mm, 0.5 deg Cone or equivalent
peltier as well	Stainless Steel, 20 mm, 2 deg Cone or equivalent

as high temperature test chamber)	Concentric cylinder setup with outer diameter 30 mm and gap 1 mm or equivalent
Measuring Geometry with sandblasted surface (compatible with both peltier as well as high temperature test chamber)	 Sandblasted surface Stainless steel, 25 mm plate or equivalent Stainless Steel, 40 mm Plate or equivalent Stainless Steel, 60 mm Plate or equivalent Lower plate Concentric cylinder setup with outer diameter 30 mm and gap 1 mm or equivalent
Sample Hood with Solvent	Suitable types
Tool recognition system	Automatic tool recognition system
Air dryer/Filter	Suitable capacity
Software	Software for both Data Acquisition and complete Rheological Analysis
Calibration Standards	Around 3 sets
Annual maintenance contract	For at least 4 years beyond warranty period
Online UPS	Appropriate UPS that gives around 15 min backup for rheometer and PC (but not the compressor)
Computer and Printer	PC with the following specifications: • Intel 2nd Generation Core i7 (Intel Core i7-2600) with Intel Q67Express Chipset on Intel make FCC and RoHS compliant Motherboard with support for PCI Express x16 graphics port. (With Intel vPro technology) • 4 GB RAM, Non-ECC dual-channel 1333 MHz DDR3 SDRAM, expandable up to 32GB • 500 GB SATA 3.0 - 6Gb/s Hard Drive (7200 RPM, with NCQ and minimum 16MB cache) • Optical Drive 8X DVDR

- Intel HD Graphics (integrated), with Discrete graphic support
- Integrated High Definition audio with Realtek ALC261 codec or equivalent.
- Integrated Gigabit 10/100/1000 NIC (Supporting PXE & ASF 2.0)
- USB 104 keys non-multimedia (business) keyboard (Same make as PC). The keyboard should be either mechanical type (preferable) or membrane type with performance and ruggedness equivalent to a mechanical keyboard, suitable for lab use.
- USB 2 Button Scroll Optical Mouse (Same make as PC)

Laser printer:

Print speed Up to 15 ppm

266 MHz processor; 2 MB RAM

Hi speed USB 2.0 port

Hard copies of the sealed quotations must be set to the following address by 16 January, 2012.

Dr. Yogesh M Joshi,

Associate Professor,

Department of Chemical Engineering,

Indian Institute of Technology Kanpur,

Kanpur 208016. INDIA.

Tel: +91 512 259 7993

Fax: +91 512 259 0104